


AN AD HOC BAYESIAN METHOD
FOR
DETERMINING LOWER CONFIDENCE LIMITS

by

John Courtney Cartland Jr.

United States Naval Postgraduate School



THESIS


AN AD HOC BAYESIAN METHOD
FOR
DETERMINING LOWER CONFIDENCE LIMITS

by

John Courtney Cartland Jr.

This document has been approved for public
release and sale; its distribution is unlimited.

T135607



An Ad Hoc Bayesian Method
for
Determining Lower Confidence Limits

by

John Courtney Cartland Jr.
Major, United States Army
B.S., University of Missouri, 1963

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN OPERATIONS RESEARCH

from the

NAVAL POSTGRADUATE SCHOOL
September 1970

ABSTRACT

This thesis proposes and analyzes an ad hoc Bayesian method for determining lower confidence limits for estimates of mission reliability of single components using pass/fail test data. Several test sequences with different underlying reliabilities are simulated. After each trial the lower confidence limits are calculated using the Classical method, the Bayesian method and the proposed method. This is followed by an accuracy simulation to estimate the accuracy of the proposed method. The proposed method shows promise for future usefulness in that it is capable of demonstrating a high degree of reliability with a relatively small number of trials while maintaining some degree of protection against accepting unreliable components.

TABLE OF CONTENTS

I.	INTRODUCTION - - - - -	7
II.	SUMMARY- - - - -	9
III.	ANALYSIS - - - - -	10
IV.	RESULTS - - - - -	17
V.	CONCLUSIONS - - - - -	23
	COMPUTER OUTPUT - - - - -	24
	COMPUTER PROGRAM VARIABLE DEFINITIONS - - - - -	54
	COMPUTER PROGRAM - - - - -	57
	BIBLIOGRAPHY - - - - -	64
	INITIAL DISTRIBUTION LIST - - - - -	65
	FORM DD 1473 - - - - -	67

LIST OF TABLES

Table	Page
I. Underlying Reliabilities After Each Failure - - - - -	12
II. Prior Densities - - - - -	14
III. 80% Lower Confidence Limits - - - - -	17
IV. Results of Accuracy Simulation - - - - -	20

I. INTRODUCTION

Using pass/fail test data, there are only two methods available for determining lower confidence limits for estimates of mission reliability of single components. The methods are the Classical method and Bayesian method.

The Classical method considers mission reliability as a constant, and calculates the lower confidence limit by solving for the parameter p in the Binomial Distribution, $B(x;n,p)$. The basic advantage to this method is that it provides a conservative estimate of mission reliability, providing some protection against accepting unreliable equipment. The basic disadvantage of the Classical method is that one must pay a high premium for this conservative estimate. This premium is in the form of requiring a large number of trials in order to demonstrate a high degree of reliability. Even if no failures occur in 30 trials, the 5% lower confidence limit using the Classical method is only .91. With developing weapon systems becoming more complex and hence more expensive, determination of mission reliability using Classical methods will become more and more economically infeasible.

The Bayesian concept considers mission reliability, R , as a random variable. One particular Bayesian method assumes R has a Beta distribution. Prior to testing, a Beta density (prior density) is assumed and the test data is then used to modify the parameters of the prior density, resulting in a posterior density. The lower confidence limit is then calculated by determining the appropriate percentile point of this posterior Beta density. One advantage to this method is that it allows the use of past mission test data of technically similar systems in the determination of the reliability of the system being tested. Engineers and scientists

who are designing the present system and have had experience with technically similar systems, generally have sound intuition concerning the mission reliability of the present system. The greatest advantage of the Bayesian method is that by utilizing this intuition a high degree of reliability can be demonstrated with a relatively small number of trials. The greatest shortcoming of the Bayesian method occurs when the above intuition is incorrect. When the sum of the Beta parameters $(a + b)$ in the prior density is much greater than the number of trials to be observed, then the resulting lower confidence level is more a function of the assumed prior density than of the trials results. Thus, when the assumed prior density is incorrect and the sum of its parameters is much greater than the number of trials to be observed, then the resulting lower confidence level will be misleading.

With emerging systems becoming more and more costly, the need for a method to determine, with a small number of trials, accurate lower confidence limits of estimated reliability will become more and more pressing. The Bayesian method holds promise in this direction; but with no protection against an incorrect prior density, this method leaves much to be desired. Clearly then a Bayesian method, modified to provide protection against an incorrect prior density, would not be without merit. It was this thought that motivated the research detailed in this thesis.

II. SUMMARY

An ad hoc modified Bayesian technique was devised for calculating $100(1-\alpha)\%$ lower confidence limits. This technique has the capability of demonstrating high degrees of reliability with a relatively small number of trials, while maintaining some degree of protection against accepting inferior components. While the proposed method does show promise for future usefulness, more analysis needs to be done before it is put to use.

Prior to the testing phase, the government and the contractor will jointly decide on an initial prior Beta density along with a positive integer value for k . The proposed method uses Bayesian techniques, with the only exception being that the prior density is subject to change. As long as no failures occur, the initial prior density is used. Once a failure occurs the prior density is changed so that its mean is equal to the maximum likelihood estimate of the reliability at that point in the test sequence. If after a failure, k successive successes occur, the prior density is adjusted further towards the initial prior and so on.

Several test sequences with different underlying reliabilities were simulated. After each trail the $100(1-\alpha)\%$ lower confidence limit was calculated using the Classical method, the Bayesian method and the proposed method. After this an accuracy simulation was conducted to estimate the accuracy of the proposed method. As stated above, the results were promising.

III. ANALYSIS

In order to combine the advantages of both the Classical and Bayesian methods, the following ad hoc modified Bayesian technique was proposed for determining the lower $100(1-\alpha)\%$ confidence limit of the mission reliability of a single component, $R_L(\alpha)$.

The government and the contractor will jointly decide on an initial prior density for mission reliability, which is $\beta(r; a_0, b_0)$, by determining a value for $a_0 > 0$ and $b_0 > 0$. In addition to this prior density they will also decide on a value for k , which is a positive integer. A number of components would then be tested and given a chance to live out one mission. At any point during the test sequence, standard Bayesian techniques will be used to calculate $R_L(\alpha)$, except the prior density used in the calculation will be varied as follows.

- a) If no failures have occurred then the prior density is just the predetermined prior density, $\beta(r; a_0, b_0)$.
- b) If i failures have occurred then the prior is $\beta(r; a_i, b_i)$, where a_i and b_i are determined as follows: let n denote the number of tests to data, and n_i denote the test number on which the i^{th} failure occurred, then

if $0 \leq n - n_i < k$ then $a_i = a_i^{(0)} = n_i - i$ and $b_i = b_i^{(0)} = i$

if $k \leq n - n_i < 2k$ then $a_i = a_i^{(1)} = \frac{a_0 + a_i^{(0)}}{2}$ and $b_i = b_i^{(1)} = \frac{b_0 + b_i^{(0)}}{2}$

if $2k \leq n - n_i < 3k$ then $a_i = a_i^{(2)} = \frac{a_0 + a_i^{(1)}}{2}$ and $b_i = b_i^{(2)} = \frac{b_0 + b_i^{(1)}}{2}$

if $jk \leq n - n_i < (j+1)k$ then $a_i = a_i^{(j)} = \frac{a_0 + a_i^{(j-1)}}{2}$ and $b_i = b_i^{(j)} = \frac{b_0 + b_i^{(j-1)}}{2}$

for $j = 3, 4, 5, \dots$

Once the prior density has been determined, then the parameters a and b of the posterior density are determined by adding the number of successes to date, to a_i , and adding the number of failures to date, to b_i . In mathematical terms $a=a_i+n-i$ and $b=b_i+i$. The $100(1-\alpha)\%$ confidence limit, $R_L(\alpha)$, is then determined by finding the α^{th} percentile point of the posterior density, $\beta(r;a,b)$. Since the Beta density is not defined for a or b equal to zero, then $R_L(\alpha)$ is taken to be identically equal to zero until the first success has been achieved.

Simulation was the basic technique used to analyze and evaluate the accuracy of the method described above. Since the computations required in the simulation were completely intractable by hand, the simulation was conducted on an IBM 360 computer utilizing the FORTRAN IV source language. During the research and development phase of the development of a system, it is often the case that the reliability of a component is improved as inadequacies are found during initial testing. With this in mind, three sequences of test trials were generated, each containing increases in their underlying reliability. As in actual practice, these increases in the underlying reliability took place only after a trial had resulted in a failure. Each test sequence was continued until five failures has occurred. The underlying reliabilities used to determine the result of each trial in the three sequences are shown in Table I below.

TABLE I

UNDERLYING RELIABILITIES AFTER EACH FAILURE

Sequence Number	R ₍₁₎	R ₍₂₎	R ₍₃₎	R ₍₄₎	R ₍₅₎
1	.50	.50	.50	.80	.80
2	.70	.70	.90	.90	.90
3	.80	.90	.95	.95	.95

The result of each trial was determined by comparing a uniformly distributed random number, on the interval $[0,1]$, to the appropriate reliability shown above. If the random number was less than or equal to the underlying reliability, the trial resulted in a success. If the random number was greater than the underlying reliability, the trial resulted in a failure.

After the result of each trial in all the sequences had been determined, the $100(1-\alpha)\%$ lower confidence limit was determined after each trial, using the Classical method, the Bayesian method, and the proposed ad hoc modified Bayesian method.

The classical $100(1-\alpha)\%$ lower confidence level was determined by solving for the parameter p in the Binomial distribution, $B(n,p)$; that is by solving for p in the equation

$$\alpha = \sum_{j=s}^n \binom{n}{j} p^j (1-p)^{n-j} = \int_0^p \beta(X;s,n-s+1) dx \quad 1$$

where α is the significance level, s is the number of successes to date, and n is the number of trials to date. Thus the classical $100(1-\alpha)\%$

¹Owen, D. B., Handbook of Statistical Tables, p. 264, Addison-Wesely, 1962

lower confidence level was calculated by finding the α^{th} percentile point of the Beta density with parameters; a = the number of successes to date, and b = the number of failures to date plus 1.

To calculate the Bayesian $100(1-\alpha)\%$ lower confidence limit, the results of all previous trials in a sequence were used to modify the assumed prior density to determine a posterior density. The Bayesian confidence limit was then determined by finding the α^{th} percentile point of the posterior density by solving for $R_L(\alpha)$ in this equation,

$$\alpha = \int_0^{R_L(\alpha)} (x; a+s, b+n-s) dx$$

where a is the value of the parameter a in the prior density, and b is the value of the parameter b in the prior density.

The ad hoc modified Bayesian $100(1-\alpha)\%$ lower confidence limit was calculated using the procedures detailed earlier in this section.

In all of the above three methods, the $100(1-\alpha)\%$ lower confidence limit was calculated by determining the α^{th} percentile point of a Beta density, with the only difference being in the parameters of the densities used. The standardized Beta density function is defined by

$$\begin{aligned} \beta(x; a, b) &= \frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)} x^{a-1} (1-x)^{b-1} \text{ for } 0 < x < 1, a > 0, b > 0 \\ &= 0 \text{ otherwise} \end{aligned}$$

thus to find the α^{th} percentile point of a Beta density, one had to determine the value of the constant $\frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)}$.

The basic property used to determine the value of a Gamma function was that $\Gamma(y) = (y-1) \Gamma(y-1)$. This coupled with the approximation (accurate to the nearest 1/100,000) that $\Gamma(1+y) = 1.0 - .5771017y + .9858540y^2 - .8764218y^3 + .8328212y^4 - .5684729y^5 + .2548205y^6 - .0514993y^7$ for $0 \leq y < 1$, was all that was necessary to evaluate any

Gamma function, by using a recursive multiplication technique. Due to a limitation on the size of a number that can be stored by the computer, it was necessary to make the calculations using natural logarithms, requiring the addition of logarithms as opposed to the multiplication of the actual numbers. The final value for $\frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)}$ was taken as the antilogarithm of $\ln[\Gamma(a+b)] - \ln[\Gamma(a)] - \ln[\Gamma(b)]$. For complete details, see the computer program.

After having determined the value of the constant $\frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)}$ it was then necessary to evaluate the integral $\int_0^R \frac{L(\alpha)\Gamma(a+b)}{\Gamma(a)\Gamma(b)} x^{a-1}(1-x)^{b-1} dx$.

Since the integration would only take place over the lower tail of the Beta density, and since the lower tail of the Beta density is reasonably flat, a rectangular approximation was used to evaluate the integral.

To check the accuracy of the above procedures for determining percentile points of the Beta density, the procedures were used to determine the 25th percentile point for the following values of a and b; a=1, 1.5, 5, 30, 60, and b=1, 1.5, 2.5, 5, 10. The resulting values never varied more .01 from the tabulated values.

In order to gain further insight into the sensitivity of the proposed method to the parameter values assumed in the prior density, four pairs of parametric values were used, as shown in Table II below.

TABLE II
PRIOR DENSITIES

a	45.0	45.0	90.0	90.0
b	2.5	5.0	5.0	10.0

100(1- α)% lower confidence levels were calculated after each trial, using

the Classical method, the Bayesian method and ad hoc modified Bayesian method with the four different priors shown above and for the modified Bayesian method with $k=5,10$. These lower confidence levels were calculated for significance levels of .05, .10, and .20. For computed results see the computer output.

After completing this, a simulation was conducted to determine the accuracy of the proposed method. To accomplish this, three test sequences, each with one underlying reliability and consisting of 30 trials, were generated. The underlying reliabilities used in the three sequences to determine the outcome of a trial were; .80, .90, and .95. After each trial, the $100(1-\alpha)\%$ lower confidence limit was calculated using the ad hoc modified Bayesian method with the four prior densities shown in Table I and for the three significance levels of .05, .10, and .20. The above was then replicated 40 times, resulting in 40 lower confidence limits for each trial in each sequence, for each prior density and for each value of α . These 40 lower confidence limits were then ordered according to magnitude. If the proposed method is accurate, then one would expect $100(1-\alpha)\%$ of the values for each trial to be less than or equal to the underlying reliability and $100(\alpha)\%$ of the values to be greater than the underlying reliability. For the case where $\alpha=.20$, and with 40 values, one would expect the 9th highest value to be less than or equal to the underlying reliability, and one would expect the 8th highest value to be greater than the underlying reliability. These values are tabulated in Table IV, for the case $k=5$. As an example, to read the accuracy estimate for the proposed method after 25 trials when the underlying reliability is .80 and for the prior distribution defined

by $a = 45$ and $b = 5$, one must turn to that portion of the table labeled Underlying Reliability = .80, and read down the first column to trial number 25, and from columns 2 and 3 (corresponding to $a=45$, $b=5$) extract the values .81 and .82.

IV. RESULTS

For a complete listing of the computed results of the first simulation, see the Computer Output. This simulation run, along with many additional runs, using different random numbers, pointed out three basic characteristics of the proposed method.

The first characteristic is that the proposed method is capable of demonstrating a high degree of reliability with a relatively small number of trials.

The second and most important characteristic is that the proposed method is much more sensitive than the Bayesian method to the underlying reliability, thus providing a degree of protection against the assumption of an incorrect prior density. For example, in one simulation run the first 18 trials resulted in 13 successes and 5 failures. The maximum likelihood estimate of the underlying reliability would be $13/18 = .72$. At the end of the 18 trials, the computed 80% lower confidence limits were as shown in Table III below.

TABLE III
80% LOWER CONFIDENCE LIMITS

A	B	CCL20 (Classical)	BCL20 (Bayesian)	WCL20 (Modified)
45.0	5.0	.60	.82	.67
90.0	10.0	.60	.85	.67
47.5	2.5	.60	.86	.67
95.0	5.0	.60	.90	.67

As pointed out by Sequence 1 in the Accuracy Simulation, the degree of protection is not complete, but one must expect to pay some price for the capability of demonstrating high degrees of reliability with a small number of trials.

The third characteristic indicated in this study is that there is little difference between the computed ad hoc confidence limit for $k=5$ and $k=10$. The only time the results are greatly different is when the trial is the 5th, 6th, 7th, 8th, or 9th consecutive success. Only a small portion of the trials fell in the above category.

For a partial listing of the results from the accuracy simulation see Table IV. Sequence 1 of the accuracy simulation demonstrates the degree of protection provided by the proposed method. There was a significant drop in the reliability estimate between the 7th and 8th trial. Of the 40 replications of Sequence 1, 9 of the replications resulted in the first 7 trials being all successes, where only 4 of the replications resulted in the first 8 trials being all successes. With this being the case, the accuracy estimate for trials 1 thru 7 is really an accuracy estimate of the Bayesian method, while for trials 8 thru 30 it is an accuracy estimate of the ad hoc method.

Further analysis of the data pointed out two counterintuitive characteristics of the proposed method. From the description of the proposed method, one would expect the proposed method to yield a result somewhere in between the results yielded by the Classical method and the Bayesian method. This is not always the case. If the Bayesian prior density underestimates the underlying reliability, then it is possible for the ad hoc method to yield a result that is higher than those yielded by either the Classical or Bayesian methods. This is caused by the fact that the Bayesian method is fairly insensitive to the underlying reliability coupled with the fact that the Classical method is very conservative when the number of trials is small. For an example of the above, see Sequence 3 in the Computer Output. It is also possible for

the proposed method to yield a result that is lower than either the Classical or the Bayesian result. This result is achieved only when a sequence begins with two or more failures, an unlikely event for a component having an underlying reliability of .80 or higher. If a sequence does begin with two failures and then a success, the proposed method will continue to give lower results than the Classical method until the next failure occurs.

The second counterintuitive characteristic of the proposed method is that it is possible to get an increase in the lower confidence limit from trial i to trial $i+1$, even though trial $i+1$ resulted in a failure. In order for this to occur, with the values of k tested, two conditions must hold. The first is that the sequence must begin with a failure, followed by a success, and the second condition is that the second failure must occur before there are k successive successes. To understand what causes the increase in the lower confidence limit it is necessary to realize that when a sequence begins as stated above, the proposed method will yield the same results as the Classical method until either the k th successive success or until the second failure, whichever comes first. With this being the case, then if $j < k$ successive successes have occurred, the ad hoc posterior density will be $\beta(x; j, 1)$, and if the next trial results in a failure the ad hoc posterior density will be $\beta(x; 2j, 2)$ yielding a higher lower confidence limit.

TABLE IV
RESULTS OF ACCURACY SIMULATION FOR $\alpha = .20$
UNDERLYING RELIABILITY = .80

a	45.0		90.0		47.5		95.0	
b	5.0		10.0		2.5		5.0	
Trial #	9th	8th	9th	8th	9th	8th	9th	8th
1	.87	.87	.88	.88	.93	.93	.94	.94
2	.88	.88	.88	.88	.94	.94	.94	.94
3	.88	.88	.88	.88	.94	.94	.94	.94
4	.88	.88	.89	.89	.94	.94	.94	.94
5	.88	.88	.89	.89	.94	.94	.94	.94
6	.89	.89	.89	.89	.94	.94	.94	.94
7	.89	.89	.89	.89	.94	.94	.94	.94
8	.82	.82	.82	.82	.86	.87	.88	.88
9	.80	.83	.80	.83	.84	.84	.86	.86
10	.81	.81	.80	.80	.84	.84	.86	.86
11	.81	.81	.80	.81	.85	.85	.87	.87
12	.81	.82	.81	.81	.86	.86	.87	.87
13	.80	.80	.80	.80	.86	.86	.87	.87
14	.81	.83	.80	.82	.87	.88	.88	.88
15	.81	.82	.81	.82	.87	.87	.88	.88
16	.82	.82	.82	.82	.85	.87	.87	.88
17	.83	.84	.83	.84	.87	.88	.88	.88
18	.84	.84	.84	.84	.86	.88	.88	.88
19	.82	.83	.82	.83	.86	.86	.87	.87
20	.82	.82	.81	.82	.86	.87	.88	.88
21	.82	.82	.82	.83	.86	.87	.88	.88
22	.82	.82	.82	.82	.85	.87	.87	.88
23	.82	.83	.82	.83	.85	.85	.87	.87
24	.81	.83	.81	.82	.86	.86	.87	.87
25	.81	.82	.81	.81	.85	.86	.86	.87
26	.82	.82	.82	.82	.86	.87	.87	.88
27	.83	.83	.82	.82	.87	.87	.88	.88
28	.83	.83	.82	.83	.87	.87	.88	.88
29	.84	.85	.84	.85	.88	.88	.88	.89
30	.84	.84	.84	.84	.88	.88	.88	.88

TABLE IV (Con't)

RESULTS OF ACCURACY SIMULATION FOR $\alpha = .20$

UNDERLYING RELIABILITY = .90

a	45.0		90.0		47.5		95.0	
b	5.0		10.0		2.5		5.0	
Trial #	9th	8th	9th	8th	9th	8th	9th	8th
1	.87	.87	.88	.88	.93	.93	.94	.94
2	.88	.88	.88	.88	.94	.94	.94	.94
3	.88	.88	.88	.88	.94	.94	.94	.94
4	.88	.88	.89	.89	.94	.94	.94	.94
5	.88	.88	.89	.89	.94	.94	.94	.94
6	.89	.89	.89	.89	.94	.94	.94	.94
7	.89	.89	.89	.89	.94	.94	.94	.94
8	.89	.89	.89	.89	.94	.94	.94	.94
9	.89	.89	.89	.89	.94	.94	.94	.94
10	.89	.89	.89	.89	.94	.94	.94	.94
11	.90	.90	.89	.89	.95	.95	.94	.94
12	.90	.90	.89	.89	.95	.95	.95	.95
13	.90	.90	.90	.90	.95	.95	.95	.95
14	.90	.90	.90	.90	.95	.95	.95	.95
15	.90	.90	.90	.90	.95	.95	.95	.95
16	.90	.90	.90	.90	.95	.95	.95	.95
17	.91	.91	.90	.90	.93	.95	.94	.95
18	.91	.91	.90	.90	.93	.93	.94	.94
19	.91	.91	.90	.90	.93	.93	.94	.94
20	.91	.91	.90	.90	.93	.93	.94	.94
21	.91	.91	.90	.90	.93	.93	.94	.94
22	.90	.91	.90	.90	.93	.93	.94	.94
23	.90	.90	.90	.90	.94	.94	.94	.94
24	.90	.90	.90	.90	.94	.94	.94	.94
25	.90	.90	.90	.90	.94	.94	.94	.94
26	.90	.90	.90	.90	.94	.94	.94	.94
27	.90	.90	.90	.90	.94	.94	.94	.94
28	.91	.91	.90	.90	.93	.94	.93	.94
29	.91	.91	.90	.90	.93	.93	.93	.93
30	.91	.91	.90	.90	.92	.93	.92	.92

TABLE IV (Con't)

RESULTS OF ACCURACY SIMULATION FOR $\alpha=.20$

UNDERLYING RELIABILITY = .95

a	45.0		90.0		47.5		95.0	
b	5.0		10.0		2.5		5.0	
Trial $\frac{H}{H}$	9th	8th	9th	8th	9th	8th	9th	8th
1	.87	.87	.88	.88	.93	.93	.94	.94
2	.88	.88	.88	.88	.94	.94	.94	.94
3	.88	.88	.88	.88	.94	.94	.94	.94
4	.88	.88	.89	.89	.94	.94	.94	.94
5	.88	.88	.89	.89	.94	.94	.94	.94
6	.89	.89	.89	.89	.94	.94	.94	.94
7	.89	.89	.89	.89	.94	.94	.94	.94
8	.89	.89	.89	.89	.94	.94	.94	.94
9	.89	.89	.89	.89	.94	.94	.94	.94
10	.89	.89	.89	.89	.94	.94	.94	.94
11	.90	.90	.89	.89	.95	.95	.94	.94
12	.90	.90	.89	.89	.95	.95	.95	.95
13	.90	.90	.90	.90	.95	.95	.95	.95
14	.90	.90	.90	.90	.95	.95	.95	.95
15	.90	.90	.90	.90	.95	.95	.95	.95
16	.90	.90	.90	.90	.95	.95	.95	.95
17	.91	.91	.90	.90	.95	.95	.95	.95
18	.91	.91	.90	.90	.95	.95	.95	.95
19	.91	.91	.90	.90	.95	.95	.95	.95
20	.91	.91	.90	.90	.95	.95	.95	.95
21	.91	.91	.90	.90	.95	.95	.95	.95
22	.91	.91	.90	.90	.95	.95	.95	.95
23	.91	.91	.90	.90	.96	.96	.95	.95
24	.91	.91	.90	.90	.96	.96	.95	.95
25	.92	.94	.91	.94	.96	.96	.95	.95
26	.92	.92	.91	.91	.96	.96	.95	.95
27	.92	.92	.91	.91	.96	.96	.95	.95
28	.92	.92	.91	.91	.96	.96	.95	.95
29	.92	.92	.91	.91	.96	.96	.96	.96
30	.92	.92	.91	.91	.96	.96	.96	.96

V. CONCLUSIONS

The ad hoc modified Bayesian technique for determining $100(1-\alpha)\%$ lower confidence limits, holds significant promise for future usefulness. It has the capability of demonstrating high degrees of reliability with a relatively small number of trials while maintaining some degree of protection against accepting an inferior component because of the assumption of a prior density that overestimates the reliability of the component.

While the proposed method shows promise, much analysis still needs to be done before it is put to use. More analysis is needed to determine the sensitivity of the method to the value of k . The method also has to be investigated over a wider range of underlying reliabilities and assumed prior densities. In this "Missile Age" where component mission reliabilities of .99+ are not rare, a definite need for analysis exists, to determine appropriate values for k . After $3xk$ successive successes have occurred, the proposed method yields essentially the same results as the Bayesian method, thus to choose a k that is too small will result in the loss of protection afforded by the method. To pick a k that is too large will result in values quite close to those given by the Classical method, thus requiring a larger number of trials.

COMPUTER OUTPUT

SIGNIFICANCE LEVEL = .05

SEQUENCE NUMBER 1

UNDERLYING RELIABILITIES 0.50 0.50 0.50 0.80 0.80

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
1	0	45.00	5.00	0.00	0.81	0.00	0.00
		90.00	10.00	0.00	0.84	0.00	0.00
		47.50	2.50	0.00	0.87	0.00	0.00
		95.00	5.00	0.00	0.90	0.00	0.00
2	1	45.00	5.00	0.03	0.81	0.03	0.03
		90.00	10.00	0.03	0.84	0.03	0.03
		47.50	2.50	0.03	0.87	0.03	0.03
		95.00	5.00	0.03	0.90	0.03	0.03
3	1	45.00	5.00	0.14	0.81	0.14	0.14
		90.00	10.00	0.14	0.84	0.14	0.14
		47.50	2.50	0.14	0.86	0.14	0.14
		95.00	5.00	0.14	0.90	0.14	0.14
4	0	45.00	5.00	0.10	0.79	0.23	0.23
		90.00	10.00	0.10	0.83	0.23	0.23
		47.50	2.50	0.10	0.85	0.23	0.23
		95.00	5.00	0.10	0.89	0.23	0.23
5	1	45.00	5.00	0.19	0.80	0.29	0.29
		90.00	10.00	0.19	0.84	0.29	0.29
		47.50	2.50	0.19	0.86	0.29	0.29
		95.00	5.00	0.19	0.89	0.29	0.29
6	1	45.00	5.00	0.28	0.80	0.35	0.35
		90.00	10.00	0.28	0.84	0.35	0.35
		47.50	2.50	0.28	0.86	0.35	0.35
		95.00	5.00	0.28	0.90	0.35	0.35
7	0	45.00	5.00	0.23	0.78	0.36	0.36
		90.00	10.00	0.23	0.83	0.36	0.36
		47.50	2.50	0.23	0.84	0.36	0.36
		95.00	5.00	0.23	0.88	0.36	0.36
8	1	45.00	5.00	0.29	0.79	0.40	0.40
		90.00	10.00	0.29	0.83	0.40	0.40
		47.50	2.50	0.29	0.84	0.40	0.40
		95.00	5.00	0.29	0.89	0.40	0.40
9	1	45.00	5.00	0.35	0.79	0.43	0.43
		90.00	10.00	0.35	0.83	0.43	0.43
		47.50	2.50	0.35	0.84	0.43	0.43
		95.00	5.00	0.35	0.89	0.43	0.43
10	1	45.00	5.00	0.40	0.79	0.46	0.46
		90.00	10.00	0.40	0.83	0.46	0.46
		47.50	2.50	0.40	0.85	0.46	0.46
		95.00	5.00	0.40	0.89	0.46	0.46
11	1	45.00	5.00	0.44	0.80	0.48	0.48
		90.00	10.00	0.44	0.83	0.48	0.48
		47.50	2.50	0.44	0.85	0.48	0.48
		95.00	5.00	0.44	0.89	0.48	0.48

TRIAL NUMBER	TRIAL RESULT	A	B	CCLO5	BCLO5	K=5 WCL05	K=10 WCL05
12	1	45.00	5.00	0.48	0.80	0.70	0.51
		90.00	10.00	0.48	0.84	0.73	0.51
		47.50	2.50	0.48	0.85	0.77	0.51
		95.00	5.00	0.48	0.89	0.81	0.51
13	1	45.00	5.00	0.51	0.80	0.71	0.53
		90.00	10.00	0.51	0.84	0.74	0.53
		47.50	2.50	0.51	0.85	0.78	0.53
		95.00	5.00	0.51	0.89	0.82	0.53
14	0	45.00	5.00	0.47	0.79	0.57	0.57
		90.00	10.00	0.47	0.83	0.57	0.57
		47.50	2.50	0.47	0.84	0.57	0.57
		95.00	5.00	0.47	0.88	0.57	0.57
15	1	45.00	5.00	0.49	0.79	0.59	0.59
		90.00	10.00	0.49	0.83	0.59	0.59
		47.50	2.50	0.49	0.84	0.59	0.59
		95.00	5.00	0.49	0.88	0.59	0.59
16	1	45.00	5.00	0.52	0.79	0.60	0.60
		90.00	10.00	0.52	0.83	0.60	0.60
		47.50	2.50	0.52	0.84	0.60	0.60
		95.00	5.00	0.52	0.88	0.60	0.60
17	1	45.00	5.00	0.54	0.80	0.61	0.61
		90.00	10.00	0.54	0.83	0.61	0.61
		47.50	2.50	0.54	0.84	0.61	0.61
		95.00	5.00	0.54	0.88	0.61	0.61
18	0	45.00	5.00	0.51	0.78	0.60	0.60
		90.00	10.00	0.51	0.82	0.60	0.60
		47.50	2.50	0.51	0.83	0.60	0.60
		95.00	5.00	0.51	0.87	0.60	0.60

SIGNIFICANCE LEVEL = .05

SEQUENCE NUMBER 2

UNDERLYING RELIABILITIES 0.70 0.70 0.90 0.90 0.90

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
1	1	45.00	5.00	0.06	0.83	0.83	0.83
		90.00	10.00	0.06	0.85	0.85	0.85
		47.50	2.50	0.06	0.90	0.90	0.90
		95.00	5.00	0.06	0.92	0.92	0.92
2	1	45.00	5.00	0.23	0.83	0.83	0.83
		90.00	10.00	0.23	0.85	0.85	0.85
		47.50	2.50	0.23	0.90	0.90	0.90
		95.00	5.00	0.23	0.92	0.92	0.92
3	1	45.00	5.00	0.37	0.84	0.84	0.84
		90.00	10.00	0.37	0.86	0.86	0.86
		47.50	2.50	0.37	0.90	0.90	0.90
		95.00	5.00	0.37	0.92	0.92	0.92
4	1	45.00	5.00	0.48	0.84	0.84	0.84
		90.00	10.00	0.48	0.86	0.86	0.86
		47.50	2.50	0.48	0.90	0.90	0.90
		95.00	5.00	0.48	0.92	0.92	0.92
5	1	45.00	5.00	0.55	0.84	0.84	0.84
		90.00	10.00	0.55	0.86	0.86	0.86
		47.50	2.50	0.55	0.91	0.91	0.91
		95.00	5.00	0.55	0.92	0.92	0.92
6	0	45.00	5.00	0.42	0.82	0.64	0.64
		90.00	10.00	0.42	0.85	0.64	0.64
		47.50	2.50	0.42	0.83	0.64	0.64
		95.00	5.00	0.42	0.91	0.64	0.64
7	1	45.00	5.00	0.48	0.83	0.67	0.67
		90.00	10.00	0.48	0.85	0.67	0.67
		47.50	2.50	0.48	0.86	0.67	0.67
		95.00	5.00	0.48	0.91	0.67	0.67
8	1	45.00	5.00	0.53	0.83	0.69	0.69
		90.00	10.00	0.53	0.85	0.69	0.69
		47.50	2.50	0.53	0.89	0.69	0.69
		95.00	5.00	0.53	0.91	0.69	0.69
9	1	45.00	5.00	0.58	0.83	0.71	0.71
		90.00	10.00	0.58	0.85	0.71	0.71
		47.50	2.50	0.58	0.89	0.71	0.71
		95.00	5.00	0.58	0.91	0.71	0.71
10	1	45.00	5.00	0.61	0.84	0.73	0.73
		90.00	10.00	0.61	0.85	0.73	0.73
		47.50	2.50	0.61	0.89	0.73	0.73
		95.00	5.00	0.61	0.91	0.73	0.73
11	1	45.00	5.00	0.64	0.84	0.76	0.74
		90.00	10.00	0.64	0.86	0.77	0.74
		47.50	2.50	0.64	0.89	0.83	0.74
		95.00	5.00	0.64	0.91	0.85	0.74
12	1	45.00	5.00	0.67	0.84	0.77	0.75
		90.00	10.00	0.67	0.86	0.77	0.75
		47.50	2.50	0.67	0.89	0.84	0.75
		95.00	5.00	0.67	0.91	0.85	0.75

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
13	1	45.00	5.00	0.69	0.84	0.77	0.77
		90.00	10.00	0.69	0.86	0.77	0.77
		47.50	2.50	0.69	0.90	0.84	0.77
		95.00	5.00	0.69	0.91	0.85	0.77
14	1	45.00	5.00	0.71	0.85	0.78	0.78
		90.00	10.00	0.71	0.86	0.78	0.78
		47.50	2.50	0.71	0.90	0.85	0.78
		95.00	5.00	0.71	0.91	0.86	0.78
15	1	45.00	5.00	0.73	0.85	0.78	0.79
		90.00	10.00	0.73	0.86	0.78	0.79
		47.50	2.50	0.73	0.90	0.85	0.79
		95.00	5.00	0.73	0.92	0.86	0.79
16	1	45.00	5.00	0.74	0.85	0.84	0.79
		90.00	10.00	0.74	0.86	0.86	0.78
		47.50	2.50	0.74	0.90	0.89	0.85
		95.00	5.00	0.74	0.92	0.91	0.86
17	0	45.00	5.00	0.68	0.83	0.79	0.79
		90.00	10.00	0.68	0.85	0.79	0.79
		47.50	2.50	0.68	0.88	0.79	0.79
		95.00	5.00	0.68	0.91	0.79	0.79
18	1	45.00	5.00	0.69	0.84	0.79	0.79
		90.00	10.00	0.69	0.85	0.79	0.79
		47.50	2.50	0.69	0.88	0.79	0.79
		95.00	5.00	0.69	0.91	0.79	0.79
19	0	45.00	5.00	0.65	0.82	0.74	0.74
		90.00	10.00	0.65	0.85	0.74	0.74
		47.50	2.50	0.65	0.87	0.74	0.74
		95.00	5.00	0.65	0.90	0.74	0.74
20	1	45.00	5.00	0.66	0.82	0.75	0.75
		90.00	10.00	0.66	0.85	0.75	0.75
		47.50	2.50	0.66	0.87	0.75	0.75
		95.00	5.00	0.66	0.90	0.75	0.75
21	1	45.00	5.00	0.68	0.83	0.75	0.75
		90.00	10.00	0.68	0.85	0.75	0.75
		47.50	2.50	0.68	0.87	0.75	0.75
		95.00	5.00	0.68	0.90	0.75	0.75
22	1	45.00	5.00	0.69	0.83	0.76	0.76
		90.00	10.00	0.69	0.85	0.76	0.76
		47.50	2.50	0.69	0.87	0.76	0.76
		95.00	5.00	0.69	0.90	0.76	0.76
23	1	45.00	5.00	0.70	0.83	0.77	0.77
		90.00	10.00	0.70	0.85	0.77	0.77
		47.50	2.50	0.70	0.87	0.77	0.77
		95.00	5.00	0.70	0.90	0.77	0.77
24	1	45.00	5.00	0.71	0.83	0.79	0.77
		90.00	10.00	0.71	0.85	0.79	0.77
		47.50	2.50	0.71	0.88	0.84	0.77
		95.00	5.00	0.71	0.90	0.85	0.77
25	1	45.00	5.00	0.72	0.83	0.80	0.78
		90.00	10.00	0.72	0.85	0.79	0.78
		47.50	2.50	0.72	0.88	0.84	0.78
		95.00	5.00	0.72	0.90	0.86	0.78
26	1	45.00	5.00	0.73	0.84	0.80	0.78
		90.00	10.00	0.73	0.85	0.79	0.78
		47.50	2.50	0.73	0.88	0.85	0.78
		95.00	5.00	0.73	0.90	0.86	0.78

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
27	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.74 0.74 0.74 0.74	0.84 0.86 0.88 0.90	0.80 0.80 0.85 0.86	0.79 0.79 0.79 0.79
28	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.75 0.75 0.75 0.75	0.84 0.86 0.88 0.90	0.81 0.80 0.85 0.86	0.79 0.79 0.79 0.79
29	0	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.72 0.72 0.72 0.72	0.83 0.85 0.87 0.90	0.79 0.79 0.79 0.79	0.79 0.79 0.79 0.79
30	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.73 0.73 0.73 0.73	0.83 0.85 0.87 0.90	0.79 0.79 0.79 0.79	0.79 0.79 0.79 0.79
31	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.73 0.73 0.73 0.73	0.83 0.85 0.87 0.90	0.79 0.79 0.79 0.79	0.79 0.79 0.79 0.79
32	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.74 0.74 0.74 0.74	0.83 0.85 0.87 0.90	0.80 0.80 0.80 0.80	0.80 0.80 0.80 0.80
33	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.75 0.75 0.75 0.75	0.84 0.85 0.87 0.90	0.80 0.80 0.80 0.80	0.80 0.80 0.80 0.80
34	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.76 0.76 0.76 0.76	0.84 0.85 0.88 0.90	0.82 0.81 0.86 0.86	0.80 0.80 0.80 0.80
35	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.76 0.76 0.76 0.76	0.84 0.86 0.88 0.90	0.82 0.81 0.86 0.86	0.81 0.81 0.81 0.81
36	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.77 0.77 0.77 0.77	0.84 0.86 0.88 0.90	0.82 0.81 0.86 0.87	0.81 0.81 0.81 0.81
37	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.77 0.77 0.77 0.77	0.84 0.86 0.88 0.90	0.82 0.81 0.86 0.87	0.81 0.81 0.81 0.81
38	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.78 0.78 0.78 0.78	0.85 0.86 0.88 0.90	0.83 0.81 0.86 0.87	0.82 0.82 0.82 0.82
39	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.79 0.79 0.79 0.79	0.85 0.86 0.88 0.90	0.84 0.85 0.87 0.89	0.83 0.82 0.86 0.87
40	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.79 0.79 0.79 0.79	0.85 0.86 0.88 0.90	0.84 0.85 0.87 0.89	0.83 0.82 0.87 0.87

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
41	1	45.00	5.00	0.80	0.85	0.84	0.83
		90.00	10.00	0.80	0.86	0.86	0.82
		47.50	2.50	0.80	0.88	0.87	0.87
		95.00	5.00	0.80	0.90	0.89	0.87
42	1	45.00	5.00	0.80	0.85	0.85	0.83
		90.00	10.00	0.80	0.86	0.86	0.82
		47.50	2.50	0.80	0.89	0.87	0.87
		95.00	5.00	0.80	0.91	0.89	0.87
43	1	45.00	5.00	0.80	0.85	0.85	0.84
		90.00	10.00	0.80	0.86	0.86	0.82
		47.50	2.50	0.80	0.89	0.88	0.87
		95.00	5.00	0.80	0.91	0.89	0.87
44	1	45.00	5.00	0.81	0.86	0.85	0.84
		90.00	10.00	0.81	0.86	0.86	0.82
		47.50	2.50	0.81	0.89	0.88	0.87
		95.00	5.00	0.81	0.91	0.90	0.88
45	1	45.00	5.00	0.81	0.86	0.85	0.84
		90.00	10.00	0.81	0.87	0.86	0.83
		47.50	2.50	0.81	0.89	0.88	0.87
		95.00	5.00	0.81	0.91	0.90	0.88
46	1	45.00	5.00	0.82	0.86	0.86	0.84
		90.00	10.00	0.82	0.87	0.86	0.83
		47.50	2.50	0.82	0.89	0.89	0.88
		95.00	5.00	0.82	0.91	0.90	0.88
47	1	45.00	5.00	0.82	0.86	0.86	0.84
		90.00	10.00	0.82	0.87	0.87	0.83
		47.50	2.50	0.82	0.89	0.89	0.88
		95.00	5.00	0.82	0.91	0.90	0.88
48	1	45.00	5.00	0.82	0.86	0.86	0.85
		90.00	10.00	0.82	0.87	0.87	0.83
		47.50	2.50	0.82	0.89	0.89	0.88
		95.00	5.00	0.82	0.91	0.90	0.88
49	1	45.00	5.00	0.83	0.86	0.86	0.86
		90.00	10.00	0.83	0.87	0.87	0.86
		47.50	2.50	0.83	0.89	0.89	0.88
		95.00	5.00	0.83	0.91	0.91	0.90
50	0	45.00	5.00	0.81	0.85	0.85	0.85
		90.00	10.00	0.81	0.86	0.85	0.85
		47.50	2.50	0.81	0.88	0.85	0.85
		95.00	5.00	0.81	0.90	0.85	0.85



SIGNIFICANCE LEVEL = .05

SEQUENCE NUMBER 3

UNDERLYING RELIABILITIES 0.80 0.90 0.95 0.95 0.95

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCLO5	K=5 WCL05	K=10 WCL05
1	0	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.00 0.00 0.00 0.00	0.81 0.84 0.87 0.90	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
2	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.03 0.03 0.03 0.03	0.81 0.84 0.87 0.90	0.03 0.03 0.03 0.03	0.03 0.03 0.03 0.03
3	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.14 0.14 0.14 0.14	0.81 0.84 0.88 0.90	0.14 0.14 0.14 0.14	0.14 0.14 0.14 0.14
4	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.25 0.25 0.25 0.25	0.82 0.85 0.88 0.91	0.25 0.25 0.25 0.25	0.25 0.25 0.25 0.25
5	0	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.19 0.19 0.19 0.19	0.80 0.84 0.86 0.89	0.35 0.35 0.35 0.35	0.35 0.35 0.35 0.35
6	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.28 0.28 0.28 0.28	0.80 0.84 0.86 0.90	0.40 0.40 0.40 0.40	0.40 0.40 0.40 0.40
7	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.35 0.35 0.35 0.35	0.80 0.84 0.86 0.90	0.44 0.44 0.44 0.44	0.44 0.44 0.44 0.44
8	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.41 0.41 0.41 0.41	0.81 0.84 0.86 0.90	0.48 0.48 0.48 0.48	0.48 0.48 0.48 0.48
9	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.46 0.46 0.46 0.46	0.81 0.84 0.87 0.90	0.51 0.51 0.51 0.51	0.51 0.51 0.51 0.51
10	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.50 0.50 0.50 0.50	0.81 0.84 0.87 0.90	0.72 0.74 0.79 0.83	0.54 0.54 0.54 0.54
11	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.53 0.53 0.53 0.53	0.82 0.85 0.87 0.90	0.72 0.75 0.80 0.83	0.57 0.57 0.57 0.57
12	1	45.00 90.00 47.50 95.00	5.00 10.00 2.50 5.00	0.57 0.57 0.57 0.57	0.82 0.85 0.87 0.90	0.73 0.75 0.80 0.83	0.59 0.59 0.59 0.59

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
13	1	45.00	5.00	0.59	0.82	0.74	0.61
		90.00	10.00	0.59	0.85	0.75	0.61
		47.50	2.50	0.59	0.87	0.81	0.61
		95.00	5.00	0.59	0.90	0.83	0.61
14	1	45.00	5.00	0.62	0.83	0.74	0.63
		90.00	10.00	0.62	0.85	0.75	0.63
		47.50	2.50	0.62	0.88	0.81	0.63
		95.00	5.00	0.62	0.90	0.84	0.63
15	1	45.00	5.00	0.64	0.83	0.81	0.75
		90.00	10.00	0.64	0.85	0.84	0.76
		47.50	2.50	0.64	0.88	0.86	0.81
		95.00	5.00	0.64	0.90	0.89	0.84
16	1	45.00	5.00	0.66	0.83	0.81	0.75
		90.00	10.00	0.66	0.85	0.84	0.76
		47.50	2.50	0.66	0.88	0.86	0.82
		95.00	5.00	0.66	0.90	0.89	0.84
17	1	45.00	5.00	0.68	0.83	0.82	0.76
		90.00	10.00	0.68	0.85	0.84	0.77
		47.50	2.50	0.68	0.88	0.86	0.82
		95.00	5.00	0.68	0.91	0.89	0.84
18	1	45.00	5.00	0.69	0.84	0.82	0.76
		90.00	10.00	0.69	0.85	0.84	0.77
		47.50	2.50	0.69	0.88	0.86	0.83
		95.00	5.00	0.69	0.91	0.89	0.85
19	1	45.00	5.00	0.71	0.84	0.82	0.77
		90.00	10.00	0.71	0.86	0.84	0.77
		47.50	2.50	0.71	0.89	0.87	0.83
		95.00	5.00	0.71	0.91	0.89	0.85
20	1	45.00	5.00	0.72	0.84	0.83	0.77
		90.00	10.00	0.72	0.86	0.85	0.78
		47.50	2.50	0.72	0.89	0.88	0.83
		95.00	5.00	0.72	0.91	0.90	0.85
21	1	45.00	5.00	0.73	0.84	0.84	0.78
		90.00	10.00	0.73	0.86	0.85	0.78
		47.50	2.50	0.73	0.89	0.88	0.84
		95.00	5.00	0.73	0.91	0.90	0.85
22	1	45.00	5.00	0.75	0.85	0.84	0.78
		90.00	10.00	0.75	0.86	0.85	0.78
		47.50	2.50	0.75	0.89	0.88	0.84
		95.00	5.00	0.75	0.91	0.90	0.85
23	1	45.00	5.00	0.76	0.85	0.84	0.79
		90.00	10.00	0.76	0.86	0.86	0.78
		47.50	2.50	0.76	0.89	0.88	0.84
		95.00	5.00	0.76	0.91	0.90	0.86
24	1	45.00	5.00	0.77	0.85	0.84	0.79
		90.00	10.00	0.77	0.86	0.86	0.79
		47.50	2.50	0.77	0.89	0.89	0.85
		95.00	5.00	0.77	0.91	0.91	0.86
25	0	45.00	5.00	0.72	0.83	0.80	0.80
		90.00	10.00	0.72	0.85	0.80	0.80
		47.50	2.50	0.72	0.88	0.80	0.80
		95.00	5.00	0.72	0.90	0.80	0.80
26	1	45.00	5.00	0.73	0.84	0.81	0.81
		90.00	10.00	0.73	0.85	0.81	0.81
		47.50	2.50	0.73	0.88	0.81	0.81
		95.00	5.00	0.73	0.90	0.81	0.81

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	PCL05	K=5 WCL05	K=10 WCL05
27	1	45.00	5.00	0.74	0.84	0.81	0.81
		90.00	10.00	0.74	0.86	0.81	0.81
		47.50	2.50	0.74	0.88	0.81	0.81
		95.00	5.00	0.74	0.90	0.81	0.81
28	1	45.00	5.00	0.75	0.84	0.81	0.81
		90.00	10.00	0.75	0.86	0.81	0.81
		47.50	2.50	0.75	0.88	0.81	0.81
		95.00	5.00	0.75	0.90	0.81	0.81
29	1	45.00	5.00	0.76	0.84	0.82	0.82
		90.00	10.00	0.76	0.86	0.82	0.82
		47.50	2.50	0.76	0.88	0.82	0.82
		95.00	5.00	0.76	0.91	0.82	0.82
30	1	45.00	5.00	0.77	0.85	0.82	0.82
		90.00	10.00	0.77	0.86	0.81	0.82
		47.50	2.50	0.77	0.88	0.86	0.82
		95.00	5.00	0.77	0.91	0.87	0.82
31	1	45.00	5.00	0.77	0.85	0.82	0.82
		90.00	10.00	0.77	0.86	0.81	0.82
		47.50	2.50	0.77	0.89	0.86	0.82
		95.00	5.00	0.77	0.91	0.87	0.82
32	1	45.00	5.00	0.78	0.85	0.82	0.83
		90.00	10.00	0.78	0.86	0.81	0.83
		47.50	2.50	0.78	0.89	0.87	0.83
		95.00	5.00	0.78	0.91	0.87	0.83
33	1	45.00	5.00	0.79	0.85	0.83	0.83
		90.00	10.00	0.79	0.86	0.81	0.83
		47.50	2.50	0.79	0.89	0.87	0.83
		95.00	5.00	0.79	0.91	0.87	0.83
34	1	45.00	5.00	0.79	0.85	0.83	0.83
		90.00	10.00	0.79	0.86	0.82	0.83
		47.50	2.50	0.79	0.89	0.87	0.83
		95.00	5.00	0.79	0.91	0.87	0.83
35	1	45.00	5.00	0.80	0.85	0.85	0.83
		90.00	10.00	0.80	0.86	0.86	0.82
		47.50	2.50	0.80	0.89	0.88	0.87
		95.00	5.00	0.80	0.91	0.90	0.87
36	1	45.00	5.00	0.80	0.86	0.85	0.83
		90.00	10.00	0.80	0.87	0.86	0.82
		47.50	2.50	0.80	0.89	0.88	0.87
		95.00	5.00	0.80	0.91	0.90	0.88
37	1	45.00	5.00	0.81	0.86	0.85	0.84
		90.00	10.00	0.81	0.87	0.86	0.82
		47.50	2.50	0.81	0.89	0.88	0.88
		95.00	5.00	0.81	0.91	0.90	0.88
38	1	45.00	5.00	0.81	0.86	0.86	0.84
		90.00	10.00	0.81	0.87	0.86	0.82
		47.50	2.50	0.81	0.90	0.89	0.83
		95.00	5.00	0.81	0.91	0.90	0.88
39	1	45.00	5.00	0.82	0.86	0.86	0.84
		90.00	10.00	0.82	0.87	0.86	0.82
		47.50	2.50	0.82	0.90	0.89	0.88
		95.00	5.00	0.82	0.91	0.90	0.88
40	1	45.00	5.00	0.82	0.86	0.86	0.84
		90.00	10.00	0.82	0.87	0.87	0.83
		47.50	2.50	0.82	0.90	0.89	0.88
		95.00	5.00	0.82	0.91	0.91	0.88

TRIAL NUMBER	TRIAL RESULT	A	B	CCL05	BCL05	K=5 WCL05	K=10 WCL05
41	1	45.00	5.00	0.83	0.86	0.86	0.84
		90.00	10.00	0.83	0.87	0.87	0.83
		47.50	2.50	0.83	0.90	0.89	0.88
		95.00	5.00	0.83	0.91	0.91	0.88
42	1	45.00	5.00	0.83	0.87	0.86	0.85
		90.00	10.00	0.83	0.87	0.87	0.83
		47.50	2.50	0.83	0.90	0.90	0.88
		95.00	5.00	0.83	0.91	0.91	0.88
43	1	45.00	5.00	0.83	0.87	0.87	0.85
		90.00	10.00	0.83	0.87	0.87	0.83
		47.50	2.50	0.83	0.90	0.90	0.89
		95.00	5.00	0.83	0.91	0.91	0.88
44	1	45.00	5.00	0.84	0.87	0.87	0.85
		90.00	10.00	0.84	0.87	0.87	0.83
		47.50	2.50	0.84	0.90	0.90	0.89
		95.00	5.00	0.84	0.92	0.91	0.89
45	1	45.00	5.00	0.84	0.87	0.87	0.87
		90.00	10.00	0.84	0.87	0.87	0.87
		47.50	2.50	0.84	0.90	0.90	0.89
		95.00	5.00	0.84	0.92	0.91	0.91
46	1	45.00	5.00	0.85	0.87	0.87	0.87
		90.00	10.00	0.85	0.87	0.87	0.87
		47.50	2.50	0.85	0.90	0.90	0.90
		95.00	5.00	0.85	0.92	0.91	0.91
47	1	45.00	5.00	0.85	0.87	0.87	0.87
		90.00	10.00	0.85	0.88	0.87	0.87
		47.50	2.50	0.85	0.91	0.90	0.90
		95.00	5.00	0.85	0.92	0.92	0.91
48	0	45.00	5.00	0.82	0.86	0.87	0.87
		90.00	10.00	0.82	0.87	0.87	0.87
		47.50	2.50	0.82	0.89	0.87	0.87
		95.00	5.00	0.82	0.91	0.87	0.87
49	1	45.00	5.00	0.83	0.86	0.87	0.87
		90.00	10.00	0.83	0.87	0.87	0.87
		47.50	2.50	0.83	0.89	0.87	0.87
		95.00	5.00	0.83	0.91	0.87	0.87
50	1	45.00	5.00	0.83	0.86	0.87	0.87
		90.00	10.00	0.83	0.87	0.87	0.87
		47.50	2.50	0.83	0.90	0.87	0.87
		95.00	5.00	0.83	0.91	0.87	0.87
51	1	45.00	5.00	0.83	0.87	0.88	0.88
		90.00	10.00	0.83	0.87	0.88	0.88
		47.50	2.50	0.83	0.90	0.88	0.88
		95.00	5.00	0.83	0.91	0.88	0.88
52	1	45.00	5.00	0.84	0.87	0.88	0.88
		90.00	10.00	0.84	0.87	0.88	0.88
		47.50	2.50	0.84	0.90	0.88	0.88
		95.00	5.00	0.84	0.91	0.88	0.88
53	1	45.00	5.00	0.84	0.87	0.87	0.88
		90.00	10.00	0.84	0.87	0.85	0.88
		47.50	2.50	0.84	0.90	0.90	0.88
		95.00	5.00	0.84	0.91	0.89	0.88
54	0	45.00	5.00	0.82	0.86	0.86	0.86
		90.00	10.00	0.82	0.87	0.86	0.86
		47.50	2.50	0.82	0.89	0.86	0.86
		95.00	5.00	0.82	0.90	0.86	0.86

SIGNIFICANCE LEVEL = .10

SEQUENCE NUMBER 1

UNDERLYING RELIABILITIES 0.50 0.50 0.50 0.80 0.80

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
1	0	45.00	5.00	0.00	0.83	0.00	0.00
		90.00	10.00	0.00	0.86	0.00	0.00
		47.50	2.50	0.00	0.89	0.00	0.00
		95.00	5.00	0.00	0.91	0.00	0.00
2	1	45.00	5.00	0.06	0.83	0.06	0.06
		90.00	10.00	0.06	0.86	0.06	0.06
		47.50	2.50	0.06	0.89	0.06	0.06
		95.00	5.00	0.06	0.92	0.06	0.06
3	1	45.00	5.00	0.20	0.83	0.20	0.20
		90.00	10.00	0.20	0.86	0.20	0.20
		47.50	2.50	0.20	0.89	0.20	0.20
		95.00	5.00	0.20	0.92	0.20	0.20
4	0	45.00	5.00	0.15	0.81	0.28	0.28
		90.00	10.00	0.15	0.85	0.28	0.28
		47.50	2.50	0.15	0.87	0.28	0.28
		95.00	5.00	0.15	0.91	0.28	0.28
5	1	45.00	5.00	0.25	0.82	0.35	0.35
		90.00	10.00	0.25	0.85	0.35	0.35
		47.50	2.50	0.25	0.87	0.35	0.35
		95.00	5.00	0.25	0.91	0.35	0.35
6	1	45.00	5.00	0.34	0.82	0.41	0.41
		90.00	10.00	0.34	0.85	0.41	0.41
		47.50	2.50	0.34	0.88	0.41	0.41
		95.00	5.00	0.34	0.91	0.41	0.41
7	0	45.00	5.00	0.28	0.80	0.41	0.41
		90.00	10.00	0.28	0.84	0.41	0.41
		47.50	2.50	0.28	0.86	0.41	0.41
		95.00	5.00	0.28	0.90	0.41	0.41
8	1	45.00	5.00	0.35	0.81	0.44	0.44
		90.00	10.00	0.35	0.84	0.44	0.44
		47.50	2.50	0.35	0.86	0.44	0.44
		95.00	5.00	0.35	0.90	0.44	0.44
9	1	45.00	5.00	0.41	0.81	0.47	0.47
		90.00	10.00	0.41	0.84	0.47	0.47
		47.50	2.50	0.41	0.86	0.47	0.47
		95.00	5.00	0.41	0.90	0.47	0.47
10	1	45.00	5.00	0.45	0.81	0.50	0.50
		90.00	10.00	0.45	0.85	0.50	0.50
		47.50	2.50	0.45	0.86	0.50	0.50
		95.00	5.00	0.45	0.90	0.50	0.50
11	1	45.00	5.00	0.49	0.82	0.53	0.53
		90.00	10.00	0.49	0.85	0.53	0.53
		47.50	2.50	0.49	0.87	0.53	0.53
		95.00	5.00	0.49	0.90	0.53	0.53
12	1	45.00	5.00	0.53	0.82	0.73	0.55
		90.00	10.00	0.53	0.85	0.75	0.55
		47.50	2.50	0.53	0.87	0.80	0.55
		95.00	5.00	0.53	0.90	0.83	0.55

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
13	1	45.00	5.00	0.56	0.82	0.74	0.57
		90.00	10.00	0.56	0.85	0.76	0.57
		47.50	2.50	0.56	0.87	0.80	0.57
		95.00	5.00	0.56	0.90	0.83	0.57
14	0	45.00	5.00	0.51	0.81	0.61	0.61
		90.00	10.00	0.51	0.84	0.61	0.61
		47.50	2.50	0.51	0.85	0.61	0.61
		95.00	5.00	0.51	0.89	0.61	0.61
15	1	45.00	5.00	0.54	0.81	0.62	0.62
		90.00	10.00	0.54	0.84	0.62	0.62
		47.50	2.50	0.54	0.86	0.62	0.62
		95.00	5.00	0.54	0.89	0.62	0.62
16	1	45.00	5.00	0.57	0.81	0.63	0.63
		90.00	10.00	0.57	0.84	0.63	0.63
		47.50	2.50	0.57	0.86	0.63	0.63
		95.00	5.00	0.57	0.89	0.63	0.63
17	1	45.00	5.00	0.59	0.82	0.64	0.64
		90.00	10.00	0.59	0.85	0.64	0.64
		47.50	2.50	0.59	0.86	0.64	0.64
		95.00	5.00	0.59	0.90	0.64	0.64
18	0	45.00	5.00	0.55	0.80	0.63	0.63
		90.00	10.00	0.55	0.84	0.63	0.63
		47.50	2.50	0.55	0.84	0.63	0.63
		95.00	5.00	0.55	0.89	0.63	0.63

SIGNIFICANCE LEVEL = .10

SEQUENCE NUMBER 2

UNDERLYING RELIABILITIES 0.70 0.70 0.90 0.90 0.90

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
1	1	45.00	5.00	0.11	0.85	0.85	0.85
		90.00	10.00	0.11	0.87	0.87	0.87
		47.50	2.50	0.11	0.92	0.92	0.92
		95.00	5.00	0.11	0.93	0.93	0.93
2	1	45.00	5.00	0.32	0.85	0.85	0.85
		90.00	10.00	0.32	0.87	0.87	0.87
		47.50	2.50	0.32	0.92	0.92	0.92
		95.00	5.00	0.32	0.93	0.93	0.93
3	1	45.00	5.00	0.47	0.86	0.86	0.86
		90.00	10.00	0.47	0.87	0.87	0.87
		47.50	2.50	0.47	0.92	0.92	0.92
		95.00	5.00	0.47	0.93	0.93	0.93
4	1	45.00	5.00	0.57	0.86	0.86	0.86
		90.00	10.00	0.57	0.87	0.87	0.87
		47.50	2.50	0.57	0.92	0.92	0.92
		95.00	5.00	0.57	0.93	0.93	0.93
5	1	45.00	5.00	0.64	0.86	0.86	0.86
		90.00	10.00	0.64	0.87	0.87	0.87
		47.50	2.50	0.64	0.92	0.92	0.92
		95.00	5.00	0.64	0.93	0.93	0.93
6	0	45.00	5.00	0.49	0.84	0.69	0.69
		90.00	10.00	0.49	0.86	0.69	0.69
		47.50	2.50	0.49	0.90	0.69	0.69
		95.00	5.00	0.49	0.92	0.69	0.69
7	1	45.00	5.00	0.55	0.85	0.72	0.72
		90.00	10.00	0.55	0.86	0.72	0.72
		47.50	2.50	0.55	0.90	0.72	0.72
		95.00	5.00	0.55	0.92	0.72	0.72
8	1	45.00	5.00	0.60	0.85	0.74	0.74
		90.00	10.00	0.60	0.86	0.74	0.74
		47.50	2.50	0.60	0.90	0.74	0.74
		95.00	5.00	0.60	0.92	0.74	0.74
9	1	45.00	5.00	0.64	0.85	0.75	0.75
		90.00	10.00	0.64	0.87	0.75	0.75
		47.50	2.50	0.64	0.90	0.75	0.75
		95.00	5.00	0.64	0.92	0.75	0.75
10	1	45.00	5.00	0.67	0.85	0.77	0.77
		90.00	10.00	0.67	0.87	0.77	0.77
		47.50	2.50	0.67	0.91	0.77	0.77
		95.00	5.00	0.67	0.92	0.77	0.77
11	1	45.00	5.00	0.69	0.86	0.79	0.78
		90.00	10.00	0.69	0.87	0.79	0.78
		47.50	2.50	0.69	0.91	0.86	0.78
		95.00	5.00	0.69	0.92	0.87	0.78
12	1	45.00	5.00	0.72	0.86	0.79	0.79
		90.00	10.00	0.72	0.87	0.79	0.79
		47.50	2.50	0.72	0.91	0.86	0.79
		95.00	5.00	0.72	0.92	0.87	0.79

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
13	1	45.00	5.00	0.74	0.86	0.80	0.81
		90.00	10.00	0.74	0.87	0.79	0.81
		47.50	2.50	0.74	0.91	0.86	0.81
		95.00	5.00	0.74	0.92	0.87	0.81
14	1	45.00	5.00	0.75	0.86	0.80	0.82
		90.00	10.00	0.75	0.87	0.80	0.82
		47.50	2.50	0.75	0.91	0.87	0.82
		95.00	5.00	0.75	0.92	0.87	0.82
15	1	45.00	5.00	0.77	0.87	0.80	0.82
		90.00	10.00	0.77	0.87	0.80	0.82
		47.50	2.50	0.77	0.91	0.87	0.82
		95.00	5.00	0.77	0.93	0.87	0.82
16	1	45.00	5.00	0.78	0.87	0.86	0.81
		90.00	10.00	0.78	0.87	0.87	0.80
		47.50	2.50	0.78	0.92	0.91	0.87
		95.00	5.00	0.78	0.93	0.92	0.88
17	0	45.00	5.00	0.72	0.85	0.81	0.81
		90.00	10.00	0.72	0.87	0.81	0.81
		47.50	2.50	0.72	0.90	0.81	0.81
		95.00	5.00	0.72	0.92	0.81	0.81
18	1	45.00	5.00	0.74	0.85	0.82	0.82
		90.00	10.00	0.74	0.87	0.82	0.82
		47.50	2.50	0.74	0.90	0.82	0.82
		95.00	5.00	0.74	0.92	0.82	0.82
19	0	45.00	5.00	0.69	0.84	0.77	0.77
		90.00	10.00	0.69	0.86	0.77	0.77
		47.50	2.50	0.69	0.88	0.77	0.77
		95.00	5.00	0.69	0.91	0.77	0.77
20	1	45.00	5.00	0.70	0.84	0.77	0.77
		90.00	10.00	0.70	0.86	0.77	0.77
		47.50	2.50	0.70	0.88	0.77	0.77
		95.00	5.00	0.70	0.91	0.77	0.77
21	1	45.00	5.00	0.71	0.84	0.78	0.78
		90.00	10.00	0.71	0.86	0.78	0.78
		47.50	2.50	0.71	0.89	0.78	0.78
		95.00	5.00	0.71	0.91	0.78	0.78
22	1	45.00	5.00	0.73	0.84	0.79	0.79
		90.00	10.00	0.73	0.86	0.79	0.79
		47.50	2.50	0.73	0.89	0.79	0.79
		95.00	5.00	0.73	0.91	0.79	0.79
23	1	45.00	5.00	0.74	0.85	0.79	0.79
		90.00	10.00	0.74	0.86	0.79	0.79
		47.50	2.50	0.74	0.89	0.79	0.79
		95.00	5.00	0.74	0.91	0.79	0.79
24	1	45.00	5.00	0.75	0.85	0.81	0.80
		90.00	10.00	0.75	0.86	0.81	0.80
		47.50	2.50	0.75	0.89	0.85	0.80
		95.00	5.00	0.75	0.91	0.87	0.80
25	1	45.00	5.00	0.76	0.85	0.82	0.80
		90.00	10.00	0.76	0.87	0.81	0.80
		47.50	2.50	0.76	0.89	0.85	0.80
		95.00	5.00	0.76	0.91	0.87	0.80
26	1	45.00	5.00	0.77	0.85	0.82	0.80
		90.00	10.00	0.77	0.87	0.81	0.80
		47.50	2.50	0.77	0.89	0.86	0.80
		95.00	5.00	0.77	0.91	0.87	0.80

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
27	1	45.00	5.00	0.77	0.86	0.82	0.81
		90.00	10.00	0.77	0.87	0.81	0.81
		47.50	2.50	0.77	0.89	0.87	0.81
		95.00	5.00	0.77	0.91	0.87	0.81
28	1	45.00	5.00	0.78	0.86	0.82	0.81
		90.00	10.00	0.78	0.87	0.81	0.81
		47.50	2.50	0.78	0.90	0.87	0.81
		95.00	5.00	0.78	0.91	0.87	0.81
29	0	45.00	5.00	0.75	0.84	0.81	0.81
		90.00	10.00	0.75	0.86	0.81	0.81
		47.50	2.50	0.75	0.88	0.81	0.81
		95.00	5.00	0.75	0.91	0.81	0.81
30	1	45.00	5.00	0.76	0.85	0.81	0.81
		90.00	10.00	0.76	0.86	0.81	0.81
		47.50	2.50	0.76	0.88	0.81	0.81
		95.00	5.00	0.76	0.91	0.81	0.81
31	1	45.00	5.00	0.76	0.85	0.81	0.81
		90.00	10.00	0.76	0.86	0.81	0.81
		47.50	2.50	0.76	0.88	0.81	0.81
		95.00	5.00	0.76	0.91	0.81	0.81
32	1	45.00	5.00	0.77	0.85	0.82	0.82
		90.00	10.00	0.77	0.86	0.82	0.82
		47.50	2.50	0.77	0.89	0.82	0.82
		95.00	5.00	0.77	0.91	0.82	0.82
33	1	45.00	5.00	0.78	0.85	0.82	0.82
		90.00	10.00	0.78	0.86	0.82	0.82
		47.50	2.50	0.78	0.89	0.82	0.82
		95.00	5.00	0.78	0.91	0.82	0.82
34	1	45.00	5.00	0.78	0.85	0.83	0.82
		90.00	10.00	0.78	0.87	0.82	0.82
		47.50	2.50	0.78	0.89	0.87	0.82
		95.00	5.00	0.78	0.91	0.88	0.82
35	1	45.00	5.00	0.79	0.86	0.84	0.83
		90.00	10.00	0.79	0.87	0.82	0.83
		47.50	2.50	0.79	0.89	0.87	0.83
		95.00	5.00	0.79	0.91	0.88	0.83
36	1	45.00	5.00	0.80	0.86	0.84	0.83
		90.00	10.00	0.80	0.87	0.83	0.83
		47.50	2.50	0.80	0.89	0.87	0.83
		95.00	5.00	0.80	0.91	0.88	0.83
37	1	45.00	5.00	0.80	0.86	0.84	0.83
		90.00	10.00	0.80	0.87	0.83	0.83
		47.50	2.50	0.80	0.89	0.88	0.83
		95.00	5.00	0.80	0.91	0.88	0.83
38	1	45.00	5.00	0.81	0.86	0.84	0.83
		90.00	10.00	0.81	0.87	0.83	0.83
		47.50	2.50	0.81	0.89	0.88	0.83
		95.00	5.00	0.81	0.91	0.88	0.83
39	1	45.00	5.00	0.81	0.86	0.86	0.84
		90.00	10.00	0.81	0.87	0.87	0.83
		47.50	2.50	0.81	0.90	0.88	0.88
		95.00	5.00	0.81	0.91	0.90	0.88
40	1	45.00	5.00	0.82	0.86	0.86	0.85
		90.00	10.00	0.82	0.87	0.87	0.83
		47.50	2.50	0.82	0.90	0.88	0.88
		95.00	5.00	0.82	0.91	0.90	0.88

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
41	1	45.00	5.00	0.82	0.86	0.86	0.85
		90.00	10.00	0.82	0.87	0.87	0.83
		47.50	2.50	0.82	0.90	0.89	0.88
		95.00	5.00	0.82	0.91	0.90	0.88
42	1	45.00	5.00	0.82	0.87	0.86	0.85
		90.00	10.00	0.82	0.87	0.87	0.84
		47.50	2.50	0.82	0.90	0.89	0.88
		95.00	5.00	0.82	0.92	0.90	0.89
43	1	45.00	5.00	0.83	0.87	0.86	0.85
		90.00	10.00	0.83	0.87	0.87	0.84
		47.50	2.50	0.83	0.90	0.89	0.89
		95.00	5.00	0.83	0.92	0.91	0.89
44	1	45.00	5.00	0.83	0.87	0.87	0.85
		90.00	10.00	0.83	0.88	0.87	0.84
		47.50	2.50	0.83	0.90	0.90	0.89
		95.00	5.00	0.83	0.92	0.91	0.89
45	1	45.00	5.00	0.84	0.87	0.87	0.86
		90.00	10.00	0.84	0.88	0.87	0.84
		47.50	2.50	0.84	0.90	0.90	0.89
		95.00	5.00	0.84	0.92	0.91	0.89
46	1	45.00	5.00	0.84	0.87	0.87	0.86
		90.00	10.00	0.84	0.88	0.88	0.84
		47.50	2.50	0.84	0.90	0.90	0.89
		95.00	5.00	0.84	0.92	0.91	0.89
47	1	45.00	5.00	0.84	0.87	0.87	0.86
		90.00	10.00	0.84	0.88	0.88	0.84
		47.50	2.50	0.84	0.90	0.90	0.89
		95.00	5.00	0.84	0.92	0.91	0.89
48	1	45.00	5.00	0.85	0.87	0.87	0.86
		90.00	10.00	0.85	0.88	0.88	0.84
		47.50	2.50	0.85	0.91	0.90	0.89
		95.00	5.00	0.85	0.92	0.91	0.89
49	1	45.00	5.00	0.85	0.88	0.88	0.87
		90.00	10.00	0.85	0.88	0.88	0.88
		47.50	2.50	0.85	0.91	0.90	0.90
		95.00	5.00	0.85	0.92	0.92	0.91
50	0	45.00	5.00	0.83	0.87	0.87	0.87
		90.00	10.00	0.83	0.87	0.87	0.87
		47.50	2.50	0.83	0.90	0.87	0.87
		95.00	5.00	0.93	0.91	0.87	0.87

SIGNIFICANCE LEVEL = .10

SEQUENCE NUMBER 3

UNDERLYING RELIABILITIES 0.80 0.90 0.95 0.95 0.95

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
1	0	45.00	5.00	0.00	0.83	0.00	0.00
		90.00	10.00	0.00	0.86	0.00	0.00
		47.50	2.50	0.00	0.89	0.00	0.00
		95.00	5.00	0.00	0.91	0.00	0.00
2	1	45.00	5.00	0.06	0.83	0.06	0.06
		90.00	10.00	0.06	0.86	0.06	0.06
		47.50	2.50	0.06	0.89	0.06	0.06
		95.00	5.00	0.06	0.92	0.06	0.06
3	1	45.00	5.00	0.20	0.83	0.20	0.20
		90.00	10.00	0.20	0.86	0.20	0.20
		47.50	2.50	0.20	0.89	0.20	0.20
		95.00	5.00	0.20	0.92	0.20	0.20
4	1	45.00	5.00	0.33	0.84	0.33	0.33
		90.00	10.00	0.33	0.86	0.33	0.33
		47.50	2.50	0.33	0.90	0.33	0.33
		95.00	5.00	0.33	0.92	0.33	0.33
5	0	45.00	5.00	0.25	0.82	0.41	0.41
		90.00	10.00	0.25	0.85	0.41	0.41
		47.50	2.50	0.25	0.87	0.41	0.41
		95.00	5.00	0.25	0.91	0.41	0.41
6	1	45.00	5.00	0.34	0.82	0.45	0.45
		90.00	10.00	0.34	0.85	0.45	0.45
		47.50	2.50	0.34	0.88	0.45	0.45
		95.00	5.00	0.34	0.91	0.45	0.45
7	1	45.00	5.00	0.41	0.82	0.49	0.49
		90.00	10.00	0.41	0.85	0.49	0.49
		47.50	2.50	0.41	0.88	0.49	0.49
		95.00	5.00	0.41	0.91	0.49	0.49
8	1	45.00	5.00	0.47	0.83	0.53	0.53
		90.00	10.00	0.47	0.85	0.53	0.53
		47.50	2.50	0.47	0.88	0.53	0.53
		95.00	5.00	0.47	0.91	0.53	0.53
9	1	45.00	5.00	0.51	0.83	0.56	0.56
		90.00	10.00	0.51	0.86	0.56	0.56
		47.50	2.50	0.51	0.88	0.56	0.56
		95.00	5.00	0.51	0.91	0.56	0.56
10	1	45.00	5.00	0.56	0.83	0.74	0.59
		90.00	10.00	0.56	0.86	0.76	0.59
		47.50	2.50	0.56	0.88	0.82	0.59
		95.00	5.00	0.56	0.91	0.84	0.59
11	1	45.00	5.00	0.59	0.84	0.75	0.61
		90.00	10.00	0.59	0.86	0.77	0.61
		47.50	2.50	0.59	0.89	0.82	0.61
		95.00	5.00	0.59	0.91	0.85	0.61
12	1	45.00	5.00	0.62	0.84	0.76	0.63
		90.00	10.00	0.62	0.86	0.77	0.63
		47.50	2.50	0.62	0.89	0.82	0.63
		95.00	5.00	0.62	0.91	0.85	0.63

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
13	1	45.00	5.00	0.65	0.84	0.76	0.65
		90.00	10.00	0.65	0.86	0.77	0.65
		47.50	2.50	0.65	0.89	0.83	0.65
		95.00	5.00	0.65	0.91	0.85	0.65
14	1	45.00	5.00	0.67	0.84	0.77	0.67
		90.00	10.00	0.67	0.86	0.78	0.67
		47.50	2.50	0.67	0.89	0.83	0.67
		95.00	5.00	0.67	0.91	0.85	0.67
15	1	45.00	5.00	0.69	0.85	0.83	0.77
		90.00	10.00	0.69	0.86	0.85	0.78
		47.50	2.50	0.69	0.89	0.87	0.84
		95.00	5.00	0.69	0.91	0.90	0.86
16	1	45.00	5.00	0.71	0.85	0.83	0.78
		90.00	10.00	0.71	0.86	0.85	0.78
		47.50	2.50	0.71	0.90	0.88	0.84
		95.00	5.00	0.71	0.92	0.90	0.86
17	1	45.00	5.00	0.72	0.85	0.84	0.78
		90.00	10.00	0.72	0.87	0.86	0.79
		47.50	2.50	0.72	0.90	0.88	0.84
		95.00	5.00	0.72	0.92	0.90	0.86
18	1	45.00	5.00	0.74	0.85	0.84	0.79
		90.00	10.00	0.74	0.87	0.86	0.79
		47.50	2.50	0.74	0.90	0.88	0.85
		95.00	5.00	0.74	0.92	0.90	0.86
19	1	45.00	5.00	0.75	0.86	0.84	0.79
		90.00	10.00	0.75	0.87	0.86	0.79
		47.50	2.50	0.75	0.90	0.88	0.85
		95.00	5.00	0.75	0.92	0.91	0.86
20	1	45.00	5.00	0.76	0.86	0.85	0.80
		90.00	10.00	0.76	0.87	0.87	0.79
		47.50	2.50	0.76	0.90	0.89	0.85
		95.00	5.00	0.76	0.92	0.91	0.87
21	1	45.00	5.00	0.77	0.86	0.85	0.80
		90.00	10.00	0.77	0.87	0.87	0.80
		47.50	2.50	0.77	0.90	0.90	0.86
		95.00	5.00	0.77	0.92	0.91	0.87
22	1	45.00	5.00	0.78	0.86	0.86	0.80
		90.00	10.00	0.78	0.87	0.87	0.80
		47.50	2.50	0.78	0.90	0.90	0.86
		95.00	5.00	0.78	0.92	0.91	0.87
23	1	45.00	5.00	0.79	0.86	0.86	0.81
		90.00	10.00	0.79	0.87	0.87	0.80
		47.50	2.50	0.79	0.91	0.90	0.86
		95.00	5.00	0.79	0.92	0.92	0.87
24	1	45.00	5.00	0.80	0.87	0.85	0.81
		90.00	10.00	0.80	0.87	0.87	0.80
		47.50	2.50	0.80	0.91	0.90	0.87
		95.00	5.00	0.80	0.92	0.92	0.87
25	0	45.00	5.00	0.76	0.85	0.82	0.82
		90.00	10.00	0.76	0.87	0.82	0.82
		47.50	2.50	0.76	0.89	0.82	0.82
		95.00	5.00	0.76	0.91	0.82	0.82
26	1	45.00	5.00	0.77	0.85	0.83	0.83
		90.00	10.00	0.77	0.87	0.83	0.83
		47.50	2.50	0.77	0.89	0.83	0.83
		95.00	5.00	0.77	0.91	0.83	0.83

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	BCL10	K=5 WCL10	K=10 WCL10
27	1	45.00	5.00	0.77	0.86	0.83	0.83
		90.00	10.00	0.77	0.87	0.83	0.83
		47.50	2.50	0.77	0.89	0.83	0.83
		95.00	5.00	0.77	0.91	0.83	0.83
28	1	45.00	5.00	0.78	0.86	0.83	0.83
		90.00	10.00	0.78	0.87	0.83	0.83
		47.50	2.50	0.78	0.90	0.83	0.83
		95.00	5.00	0.78	0.91	0.83	0.83
29	1	45.00	5.00	0.79	0.86	0.84	0.84
		90.00	10.00	0.79	0.87	0.84	0.84
		47.50	2.50	0.79	0.90	0.84	0.84
		95.00	5.00	0.79	0.92	0.84	0.84
30	1	45.00	5.00	0.80	0.86	0.84	0.84
		90.00	10.00	0.80	0.87	0.84	0.84
		47.50	2.50	0.80	0.90	0.84	0.84
		95.00	5.00	0.80	0.92	0.84	0.84
31	1	45.00	5.00	0.80	0.86	0.84	0.84
		90.00	10.00	0.80	0.87	0.84	0.84
		47.50	2.50	0.80	0.90	0.84	0.84
		95.00	5.00	0.80	0.92	0.84	0.84
32	1	45.00	5.00	0.81	0.86	0.84	0.85
		90.00	10.00	0.81	0.87	0.84	0.85
		47.50	2.50	0.81	0.90	0.84	0.85
		95.00	5.00	0.81	0.92	0.84	0.85
33	1	45.00	5.00	0.81	0.87	0.84	0.85
		90.00	10.00	0.81	0.87	0.84	0.85
		47.50	2.50	0.81	0.90	0.84	0.85
		95.00	5.00	0.81	0.92	0.84	0.85
34	1	45.00	5.00	0.82	0.87	0.85	0.85
		90.00	10.00	0.82	0.87	0.85	0.85
		47.50	2.50	0.82	0.90	0.85	0.85
		95.00	5.00	0.82	0.92	0.85	0.85
35	1	45.00	5.00	0.82	0.87	0.87	0.85
		90.00	10.00	0.82	0.88	0.87	0.85
		47.50	2.50	0.82	0.90	0.87	0.85
		95.00	5.00	0.82	0.92	0.87	0.85
36	1	45.00	5.00	0.83	0.87	0.87	0.85
		90.00	10.00	0.83	0.88	0.87	0.85
		47.50	2.50	0.83	0.91	0.87	0.85
		95.00	5.00	0.83	0.92	0.87	0.85
37	1	45.00	5.00	0.83	0.87	0.87	0.85
		90.00	10.00	0.83	0.88	0.87	0.85
		47.50	2.50	0.83	0.91	0.87	0.85
		95.00	5.00	0.83	0.92	0.87	0.85
38	1	45.00	5.00	0.84	0.87	0.87	0.85
		90.00	10.00	0.84	0.88	0.88	0.84
		47.50	2.50	0.84	0.91	0.87	0.85
		95.00	5.00	0.84	0.92	0.87	0.85
39	1	45.00	5.00	0.84	0.88	0.87	0.86
		90.00	10.00	0.84	0.88	0.88	0.84
		47.50	2.50	0.84	0.91	0.87	0.85
		95.00	5.00	0.84	0.92	0.87	0.85
40	1	45.00	5.00	0.85	0.88	0.88	0.86
		90.00	10.00	0.85	0.88	0.88	0.84
		47.50	2.50	0.85	0.91	0.87	0.85
		95.00	5.00	0.85	0.92	0.87	0.85

TRIAL NUMBER	TRIAL RESULT	A	B	CCL10	RCL10	K=5 WCL10	K=10 WCL10
41	1	45.00	5.00	0.85	0.88	0.88	0.86
		90.00	10.00	0.85	0.88	0.88	0.84
		47.50	2.50	0.85	0.91	0.91	0.90
		95.00	5.00	0.85	0.92	0.92	0.89
42	1	45.00	5.00	0.85	0.88	0.88	0.86
		90.00	10.00	0.85	0.88	0.88	0.84
		47.50	2.50	0.85	0.91	0.91	0.90
		95.00	5.00	0.85	0.92	0.92	0.90
43	1	45.00	5.00	0.86	0.88	0.88	0.86
		90.00	10.00	0.86	0.88	0.88	0.84
		47.50	2.50	0.86	0.91	0.91	0.90
		95.00	5.00	0.86	0.92	0.92	0.90
44	1	45.00	5.00	0.86	0.88	0.88	0.86
		90.00	10.00	0.86	0.88	0.88	0.85
		47.50	2.50	0.86	0.91	0.91	0.90
		95.00	5.00	0.86	0.93	0.92	0.90
45	1	45.00	5.00	0.86	0.88	0.88	0.88
		90.00	10.00	0.86	0.88	0.88	0.88
		47.50	2.50	0.86	0.92	0.91	0.91
		95.00	5.00	0.86	0.93	0.92	0.92
46	1	45.00	5.00	0.87	0.88	0.88	0.88
		90.00	10.00	0.87	0.89	0.88	0.88
		47.50	2.50	0.87	0.92	0.91	0.91
		95.00	5.00	0.87	0.93	0.92	0.92
47	1	45.00	5.00	0.87	0.89	0.89	0.88
		90.00	10.00	0.87	0.89	0.89	0.89
		47.50	2.50	0.87	0.92	0.92	0.91
		95.00	5.00	0.87	0.93	0.93	0.92
48	0	45.00	5.00	0.85	0.87	0.88	0.88
		90.00	10.00	0.85	0.88	0.88	0.88
		47.50	2.50	0.85	0.91	0.88	0.88
		95.00	5.00	0.85	0.92	0.88	0.88
49	1	45.00	5.00	0.85	0.89	0.89	0.89
		90.00	10.00	0.85	0.88	0.89	0.89
		47.50	2.50	0.85	0.91	0.89	0.90
		95.00	5.00	0.85	0.92	0.89	0.89
50	1	45.00	5.00	0.85	0.88	0.89	0.89
		90.00	10.00	0.85	0.88	0.89	0.89
		47.50	2.50	0.85	0.91	0.89	0.89
		95.00	5.00	0.85	0.92	0.89	0.89
51	1	45.00	5.00	0.85	0.88	0.89	0.89
		90.00	10.00	0.85	0.88	0.89	0.89
		47.50	2.50	0.85	0.91	0.89	0.89
		95.00	5.00	0.85	0.92	0.89	0.89
52	1	45.00	5.00	0.86	0.88	0.89	0.89
		90.00	10.00	0.86	0.88	0.89	0.89
		47.50	2.50	0.86	0.91	0.90	0.90
		95.00	5.00	0.86	0.92	0.89	0.89
53	1	45.00	5.00	0.86	0.88	0.88	0.89
		90.00	10.00	0.86	0.88	0.86	0.89
		47.50	2.50	0.86	0.91	0.91	0.89
		95.00	5.00	0.86	0.92	0.90	0.89
54	0	45.00	5.00	0.84	0.87	0.88	0.88
		90.00	10.00	0.84	0.88	0.88	0.88
		47.50	2.50	0.84	0.90	0.88	0.88
		95.00	5.00	0.84	0.91	0.88	0.88

SIGNIFICANCE LEVEL = .20

SEQUENCE NUMBER 1

UNDERLYING RELIABILITIES 0.50 0.50 0.50 0.80 0.80

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
1	0	45.00	5.00	0.00	0.85	0.00	0.00
		90.00	10.00	0.00	0.87	0.00	0.00
		47.50	2.50	0.00	0.91	0.00	0.00
		95.00	5.00	0.00	0.93	0.00	0.00
2	1	45.00	5.00	0.11	0.85	0.11	0.11
		90.00	10.00	0.11	0.87	0.11	0.11
		47.50	2.50	0.11	0.91	0.11	0.11
		95.00	5.00	0.11	0.93	0.11	0.11
3	1	45.00	5.00	0.29	0.86	0.29	0.29
		90.00	10.00	0.29	0.87	0.29	0.29
		47.50	2.50	0.29	0.91	0.29	0.29
		95.00	5.00	0.29	0.93	0.29	0.29
4	0	45.00	5.00	0.22	0.84	0.36	0.36
		90.00	10.00	0.22	0.86	0.36	0.36
		47.50	2.50	0.22	0.89	0.36	0.36
		95.00	5.00	0.22	0.92	0.36	0.36
5	1	45.00	5.00	0.33	0.84	0.42	0.42
		90.00	10.00	0.33	0.87	0.42	0.42
		47.50	2.50	0.33	0.89	0.42	0.42
		95.00	5.00	0.33	0.92	0.42	0.42
6	1	45.00	5.00	0.42	0.84	0.48	0.48
		90.00	10.00	0.42	0.87	0.48	0.48
		47.50	2.50	0.42	0.90	0.48	0.48
		95.00	5.00	0.42	0.92	0.48	0.48
7	0	45.00	5.00	0.36	0.83	0.47	0.47
		90.00	10.00	0.36	0.86	0.47	0.47
		47.50	2.50	0.36	0.88	0.47	0.47
		95.00	5.00	0.36	0.91	0.47	0.47
8	1	45.00	5.00	0.42	0.83	0.50	0.50
		90.00	10.00	0.42	0.86	0.50	0.50
		47.50	2.50	0.42	0.89	0.50	0.50
		95.00	5.00	0.42	0.91	0.50	0.50
9	1	45.00	5.00	0.48	0.83	0.53	0.53
		90.00	10.00	0.48	0.86	0.53	0.53
		47.50	2.50	0.48	0.88	0.53	0.53
		95.00	5.00	0.48	0.91	0.53	0.53
10	1	45.00	5.00	0.52	0.84	0.56	0.56
		90.00	10.00	0.52	0.86	0.56	0.56
		47.50	2.50	0.52	0.88	0.56	0.56
		95.00	5.00	0.52	0.91	0.56	0.56
11	1	45.00	5.00	0.56	0.84	0.58	0.58
		90.00	10.00	0.56	0.86	0.58	0.58
		47.50	2.50	0.56	0.89	0.58	0.58
		95.00	5.00	0.56	0.91	0.58	0.58
12	1	45.00	5.00	0.59	0.84	0.76	0.60
		90.00	10.00	0.59	0.86	0.78	0.60
		47.50	2.50	0.59	0.89	0.83	0.60
		95.00	5.00	0.59	0.91	0.85	0.60

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
13	1	45.00	5.00	0.62	0.84	0.77	0.62
		90.00	10.00	0.62	0.87	0.78	0.62
		47.50	2.50	0.62	0.89	0.83	0.62
		95.00	5.00	0.62	0.92	0.85	0.62
14	0	45.00	5.00	0.57	0.83	0.65	0.65
		90.00	10.00	0.57	0.86	0.65	0.65
		47.50	2.50	0.57	0.87	0.65	0.65
		95.00	5.00	0.57	0.91	0.65	0.65
15	1	45.00	5.00	0.60	0.83	0.66	0.66
		90.00	10.00	0.60	0.86	0.66	0.66
		47.50	2.50	0.60	0.88	0.66	0.66
		95.00	5.00	0.60	0.91	0.66	0.66
16	1	45.00	5.00	0.62	0.83	0.67	0.67
		90.00	10.00	0.62	0.86	0.67	0.67
		47.50	2.50	0.62	0.88	0.67	0.67
		95.00	5.00	0.62	0.91	0.67	0.67
17	1	45.00	5.00	0.64	0.84	0.68	0.68
		90.00	10.00	0.64	0.86	0.68	0.68
		47.50	2.50	0.64	0.88	0.68	0.68
		95.00	5.00	0.64	0.91	0.68	0.68
18	0	45.00	5.00	0.60	0.82	0.67	0.67
		90.00	10.00	0.60	0.85	0.67	0.67
		47.50	2.50	0.60	0.86	0.67	0.67
		95.00	5.00	0.60	0.90	0.67	0.67

SIGNIFICANCE LEVEL = .20

SEQUENCE NUMBER 2

UNDERLYING RELIABILITIES 0.70 0.70 0.90 0.90 0.90

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
1	1	45.00	5.00	0.21	0.87	0.87	0.87
		90.00	10.00	0.21	0.88	0.88	0.88
		47.50	2.50	0.21	0.93	0.93	0.93
		95.00	5.00	0.21	0.94	0.94	0.94
2	1	45.00	5.00	0.45	0.88	0.88	0.88
		90.00	10.00	0.45	0.88	0.88	0.88
		47.50	2.50	0.45	0.94	0.94	0.94
		95.00	5.00	0.45	0.94	0.94	0.94
3	1	45.00	5.00	0.59	0.88	0.88	0.88
		90.00	10.00	0.59	0.88	0.88	0.88
		47.50	2.50	0.59	0.94	0.94	0.94
		95.00	5.00	0.59	0.94	0.94	0.94
4	1	45.00	5.00	0.67	0.88	0.88	0.88
		90.00	10.00	0.67	0.89	0.89	0.89
		47.50	2.50	0.67	0.94	0.94	0.94
		95.00	5.00	0.67	0.94	0.94	0.94
5	1	45.00	5.00	0.73	0.88	0.88	0.88
		90.00	10.00	0.73	0.89	0.89	0.89
		47.50	2.50	0.73	0.94	0.94	0.94
		95.00	5.00	0.73	0.94	0.94	0.94
6	0	45.00	5.00	0.58	0.87	0.76	0.76
		90.00	10.00	0.58	0.88	0.76	0.76
		47.50	2.50	0.58	0.92	0.76	0.76
		95.00	5.00	0.58	0.93	0.76	0.76
7	1	45.00	5.00	0.63	0.87	0.78	0.78
		90.00	10.00	0.63	0.88	0.78	0.78
		47.50	2.50	0.63	0.92	0.78	0.78
		95.00	5.00	0.63	0.93	0.78	0.78
8	1	45.00	5.00	0.67	0.87	0.79	0.79
		90.00	10.00	0.67	0.88	0.79	0.79
		47.50	2.50	0.67	0.92	0.79	0.79
		95.00	5.00	0.67	0.93	0.79	0.79
9	1	45.00	5.00	0.71	0.87	0.81	0.81
		90.00	10.00	0.71	0.88	0.81	0.81
		47.50	2.50	0.71	0.92	0.81	0.81
		95.00	5.00	0.71	0.93	0.81	0.81
10	1	45.00	5.00	0.73	0.87	0.82	0.82
		90.00	10.00	0.73	0.88	0.82	0.82
		47.50	2.50	0.73	0.92	0.82	0.82
		95.00	5.00	0.73	0.93	0.82	0.82
11	1	45.00	5.00	0.76	0.88	0.81	0.83
		90.00	10.00	0.76	0.88	0.81	0.83
		47.50	2.50	0.76	0.93	0.83	0.83
		95.00	5.00	0.76	0.93	0.83	0.83
12	1	45.00	5.00	0.78	0.83	0.82	0.84
		90.00	10.00	0.78	0.88	0.81	0.84
		47.50	2.50	0.78	0.93	0.83	0.84
		95.00	5.00	0.78	0.93	0.83	0.84

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
13	1	45.00	5.00	0.79	0.88	0.82	0.85
		90.00	10.00	0.79	0.89	0.81	0.85
		47.50	2.50	0.79	0.93	0.89	0.85
		95.00	5.00	0.79	0.94	0.89	0.85
14	1	45.00	5.00	0.81	0.88	0.83	0.86
		90.00	10.00	0.81	0.89	0.82	0.86
		47.50	2.50	0.81	0.93	0.89	0.86
		95.00	5.00	0.81	0.94	0.89	0.86
15	1	45.00	5.00	0.82	0.88	0.83	0.86
		90.00	10.00	0.82	0.89	0.82	0.86
		47.50	2.50	0.82	0.93	0.89	0.86
		95.00	5.00	0.82	0.94	0.89	0.86
16	1	45.00	5.00	0.83	0.89	0.88	0.84
		90.00	10.00	0.83	0.89	0.89	0.82
		47.50	2.50	0.83	0.93	0.92	0.90
		95.00	5.00	0.83	0.94	0.93	0.89
17	0	45.00	5.00	0.77	0.87	0.84	0.84
		90.00	10.00	0.77	0.88	0.84	0.84
		47.50	2.50	0.77	0.91	0.84	0.84
		95.00	5.00	0.77	0.93	0.84	0.84
18	1	45.00	5.00	0.78	0.87	0.85	0.85
		90.00	10.00	0.78	0.88	0.85	0.85
		47.50	2.50	0.78	0.92	0.85	0.85
		95.00	5.00	0.78	0.93	0.85	0.85
19	0	45.00	5.00	0.73	0.86	0.80	0.80
		90.00	10.00	0.73	0.87	0.80	0.80
		47.50	2.50	0.73	0.90	0.80	0.80
		95.00	5.00	0.73	0.92	0.80	0.80
20	1	45.00	5.00	0.75	0.86	0.80	0.80
		90.00	10.00	0.75	0.87	0.80	0.80
		47.50	2.50	0.75	0.90	0.80	0.80
		95.00	5.00	0.75	0.92	0.80	0.80
21	1	45.00	5.00	0.76	0.86	0.81	0.81
		90.00	10.00	0.76	0.87	0.81	0.81
		47.50	2.50	0.76	0.90	0.81	0.81
		95.00	5.00	0.76	0.92	0.81	0.81
22	1	45.00	5.00	0.77	0.86	0.81	0.81
		90.00	10.00	0.77	0.88	0.81	0.81
		47.50	2.50	0.77	0.90	0.81	0.81
		95.00	5.00	0.77	0.92	0.81	0.81
23	1	45.00	5.00	0.78	0.87	0.82	0.82
		90.00	10.00	0.78	0.88	0.82	0.82
		47.50	2.50	0.78	0.91	0.82	0.82
		95.00	5.00	0.78	0.92	0.82	0.82
24	1	45.00	5.00	0.79	0.87	0.84	0.82
		90.00	10.00	0.79	0.88	0.82	0.82
		47.50	2.50	0.79	0.91	0.88	0.82
		95.00	5.00	0.79	0.92	0.89	0.82
25	1	45.00	5.00	0.80	0.87	0.84	0.83
		90.00	10.00	0.80	0.88	0.83	0.83
		47.50	2.50	0.80	0.91	0.88	0.83
		95.00	5.00	0.80	0.92	0.89	0.83
26	1	45.00	5.00	0.80	0.87	0.84	0.83
		90.00	10.00	0.80	0.88	0.83	0.83
		47.50	2.50	0.80	0.91	0.88	0.83
		95.00	5.00	0.80	0.92	0.89	0.83

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
27	1	45.00	5.00	0.81	0.87	0.84	0.84
		90.00	10.00	0.81	0.88	0.83	0.84
		47.50	2.50	0.81	0.91	0.89	0.84
		95.00	5.00	0.81	0.93	0.89	0.84
28	1	45.00	5.00	0.82	0.88	0.85	0.84
		90.00	10.00	0.82	0.89	0.83	0.84
		47.50	2.50	0.82	0.91	0.89	0.84
		95.00	5.00	0.82	0.93	0.89	0.84
29	0	45.00	5.00	0.78	0.86	0.83	0.83
		90.00	10.00	0.78	0.87	0.83	0.83
		47.50	2.50	0.78	0.90	0.83	0.83
		95.00	5.00	0.78	0.92	0.83	0.83
30	1	45.00	5.00	0.79	0.86	0.83	0.83
		90.00	10.00	0.79	0.88	0.83	0.83
		47.50	2.50	0.79	0.90	0.83	0.83
		95.00	5.00	0.79	0.92	0.83	0.83
31	1	45.00	5.00	0.80	0.87	0.84	0.84
		90.00	10.00	0.80	0.88	0.84	0.84
		47.50	2.50	0.80	0.90	0.84	0.84
		95.00	5.00	0.80	0.92	0.84	0.84
32	1	45.00	5.00	0.80	0.87	0.84	0.84
		90.00	10.00	0.80	0.88	0.84	0.84
		47.50	2.50	0.80	0.90	0.84	0.84
		95.00	5.00	0.80	0.92	0.84	0.84
33	1	45.00	5.00	0.81	0.87	0.84	0.84
		90.00	10.00	0.81	0.88	0.84	0.84
		47.50	2.50	0.81	0.90	0.84	0.84
		95.00	5.00	0.81	0.92	0.84	0.84
34	1	45.00	5.00	0.82	0.87	0.85	0.84
		90.00	10.00	0.82	0.88	0.84	0.84
		47.50	2.50	0.82	0.90	0.89	0.84
		95.00	5.00	0.82	0.92	0.89	0.84
35	1	45.00	5.00	0.82	0.87	0.85	0.85
		90.00	10.00	0.82	0.88	0.84	0.85
		47.50	2.50	0.82	0.91	0.89	0.85
		95.00	5.00	0.82	0.92	0.89	0.85
36	1	45.00	5.00	0.83	0.87	0.86	0.85
		90.00	10.00	0.83	0.88	0.84	0.85
		47.50	2.50	0.83	0.91	0.89	0.85
		95.00	5.00	0.83	0.92	0.89	0.85
37	1	45.00	5.00	0.83	0.88	0.86	0.85
		90.00	10.00	0.83	0.88	0.84	0.85
		47.50	2.50	0.83	0.91	0.89	0.85
		95.00	5.00	0.83	0.92	0.89	0.85
38	1	45.00	5.00	0.83	0.88	0.86	0.85
		90.00	10.00	0.83	0.88	0.85	0.85
		47.50	2.50	0.83	0.91	0.90	0.85
		95.00	5.00	0.83	0.92	0.90	0.85
39	1	45.00	5.00	0.84	0.88	0.87	0.86
		90.00	10.00	0.84	0.89	0.88	0.85
		47.50	2.50	0.84	0.91	0.90	0.90
		95.00	5.00	0.84	0.92	0.91	0.90
40	1	45.00	5.00	0.84	0.88	0.88	0.86
		90.00	10.00	0.84	0.88	0.88	0.85
		47.50	2.50	0.84	0.91	0.90	0.90
		95.00	5.00	0.84	0.92	0.91	0.90

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
41	1	45.00	5.00	0.85	0.88	0.88	0.87
		90.00	10.00	0.85	0.89	0.88	0.85
		47.50	2.50	0.85	0.91	0.90	0.90
		95.00	5.00	0.85	0.92	0.92	0.90
42	1	45.00	5.00	0.85	0.88	0.88	0.87
		90.00	10.00	0.85	0.89	0.88	0.85
		47.50	2.50	0.85	0.91	0.90	0.90
		95.00	5.00	0.85	0.93	0.92	0.90
43	1	45.00	5.00	0.85	0.88	0.88	0.87
		90.00	10.00	0.85	0.89	0.88	0.85
		47.50	2.50	0.85	0.91	0.90	0.90
		95.00	5.00	0.85	0.93	0.92	0.90
44	1	45.00	5.00	0.86	0.88	0.88	0.87
		90.00	10.00	0.86	0.89	0.89	0.85
		47.50	2.50	0.86	0.92	0.91	0.90
		95.00	5.00	0.86	0.93	0.92	0.90
45	1	45.00	5.00	0.86	0.89	0.88	0.87
		90.00	10.00	0.86	0.89	0.89	0.86
		47.50	2.50	0.86	0.92	0.91	0.90
		95.00	5.00	0.86	0.93	0.92	0.90
46	1	45.00	5.00	0.86	0.89	0.89	0.87
		90.00	10.00	0.86	0.89	0.89	0.86
		47.50	2.50	0.86	0.92	0.91	0.91
		95.00	5.00	0.86	0.93	0.92	0.90
47	1	45.00	5.00	0.87	0.89	0.89	0.88
		90.00	10.00	0.87	0.89	0.89	0.86
		47.50	2.50	0.87	0.92	0.91	0.91
		95.00	5.00	0.87	0.93	0.92	0.90
48	1	45.00	5.00	0.87	0.89	0.89	0.88
		90.00	10.00	0.87	0.89	0.89	0.86
		47.50	2.50	0.87	0.92	0.91	0.91
		95.00	5.00	0.87	0.93	0.92	0.91
49	1	45.00	5.00	0.87	0.89	0.89	0.88
		90.00	10.00	0.87	0.89	0.89	0.89
		47.50	2.50	0.87	0.92	0.92	0.91
		95.00	5.00	0.87	0.93	0.93	0.92
50	0	45.00	5.00	0.85	0.88	0.88	0.88
		90.00	10.00	0.85	0.89	0.88	0.88
		47.50	2.50	0.85	0.91	0.88	0.88
		95.00	5.00	0.85	0.92	0.88	0.88

SIGNIFICANCE LEVEL = .20

SEQUENCE NUMBER 3

UNDERLYING RELIABILITIES 0.80 0.90 0.95 0.95 0.95

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
1	0	45.00	5.00	0.00	0.85	0.00	0.00
		90.00	10.00	0.00	0.87	0.00	0.00
		47.50	2.50	0.00	0.91	0.00	0.00
		95.00	5.00	0.00	0.93	0.00	0.00
2	1	45.00	5.00	0.11	0.85	0.11	0.11
		90.00	10.00	0.11	0.87	0.11	0.11
		47.50	2.50	0.11	0.91	0.11	0.11
		95.00	5.00	0.11	0.93	0.11	0.11
3	1	45.00	5.00	0.29	0.86	0.29	0.29
		90.00	10.00	0.29	0.87	0.29	0.29
		47.50	2.50	0.29	0.91	0.29	0.29
		95.00	5.00	0.29	0.93	0.29	0.29
4	1	45.00	5.00	0.42	0.86	0.42	0.42
		90.00	10.00	0.42	0.87	0.42	0.42
		47.50	2.50	0.42	0.91	0.42	0.42
		95.00	5.00	0.42	0.93	0.42	0.42
5	0	45.00	5.00	0.33	0.84	0.48	0.48
		90.00	10.00	0.33	0.87	0.48	0.48
		47.50	2.50	0.33	0.89	0.48	0.48
		95.00	5.00	0.33	0.92	0.48	0.48
6	1	45.00	5.00	0.42	0.84	0.52	0.52
		90.00	10.00	0.42	0.87	0.52	0.52
		47.50	2.50	0.42	0.90	0.52	0.52
		95.00	5.00	0.42	0.92	0.52	0.52
7	1	45.00	5.00	0.49	0.85	0.56	0.56
		90.00	10.00	0.49	0.87	0.56	0.56
		47.50	2.50	0.49	0.90	0.56	0.56
		95.00	5.00	0.49	0.92	0.56	0.56
8	1	45.00	5.00	0.54	0.85	0.59	0.59
		90.00	10.00	0.54	0.87	0.59	0.59
		47.50	2.50	0.54	0.90	0.59	0.59
		95.00	5.00	0.54	0.92	0.59	0.59
9	1	45.00	5.00	0.59	0.85	0.62	0.62
		90.00	10.00	0.59	0.87	0.62	0.62
		47.50	2.50	0.59	0.90	0.62	0.62
		95.00	5.00	0.59	0.92	0.62	0.62
10	1	45.00	5.00	0.62	0.86	0.78	0.65
		90.00	10.00	0.62	0.87	0.79	0.65
		47.50	2.50	0.62	0.90	0.84	0.65
		95.00	5.00	0.62	0.92	0.86	0.65
11	1	45.00	5.00	0.65	0.86	0.78	0.67
		90.00	10.00	0.65	0.87	0.79	0.67
		47.50	2.50	0.65	0.91	0.85	0.67
		95.00	5.00	0.65	0.92	0.87	0.67
12	1	45.00	5.00	0.68	0.86	0.79	0.69
		90.00	10.00	0.68	0.87	0.79	0.69
		47.50	2.50	0.68	0.91	0.85	0.69
		95.00	5.00	0.68	0.92	0.87	0.69

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
13	1	45.00	5.00	0.70	0.86	0.79	0.70
		90.00	10.00	0.70	0.88	0.80	0.70
		47.50	2.50	0.70	0.91	0.86	0.70
		95.00	5.00	0.70	0.93	0.87	0.70
14	1	45.00	5.00	0.72	0.86	0.80	0.72
		90.00	10.00	0.72	0.88	0.80	0.72
		47.50	2.50	0.72	0.91	0.86	0.72
		95.00	5.00	0.72	0.93	0.87	0.72
15	1	45.00	5.00	0.74	0.87	0.85	0.80
		90.00	10.00	0.74	0.88	0.87	0.80
		47.50	2.50	0.74	0.91	0.89	0.86
		95.00	5.00	0.74	0.93	0.92	0.87
16	1	45.00	5.00	0.76	0.87	0.86	0.81
		90.00	10.00	0.76	0.88	0.87	0.80
		47.50	2.50	0.76	0.91	0.90	0.87
		95.00	5.00	0.76	0.93	0.92	0.88
17	1	45.00	5.00	0.77	0.87	0.86	0.81
		90.00	10.00	0.77	0.88	0.87	0.81
		47.50	2.50	0.77	0.91	0.90	0.87
		95.00	5.00	0.77	0.93	0.92	0.88
18	1	45.00	5.00	0.78	0.87	0.86	0.81
		90.00	10.00	0.78	0.88	0.87	0.81
		47.50	2.50	0.78	0.92	0.90	0.87
		95.00	5.00	0.78	0.93	0.92	0.88
19	1	45.00	5.00	0.79	0.87	0.86	0.82
		90.00	10.00	0.79	0.88	0.87	0.81
		47.50	2.50	0.79	0.92	0.90	0.88
		95.00	5.00	0.79	0.93	0.92	0.89
20	1	45.00	5.00	0.80	0.88	0.87	0.82
		90.00	10.00	0.80	0.88	0.88	0.81
		47.50	2.50	0.80	0.92	0.91	0.88
		95.00	5.00	0.80	0.93	0.93	0.88
21	1	45.00	5.00	0.81	0.88	0.87	0.83
		90.00	10.00	0.81	0.88	0.88	0.82
		47.50	2.50	0.81	0.92	0.91	0.89
		95.00	5.00	0.81	0.93	0.93	0.89
22	1	45.00	5.00	0.82	0.88	0.88	0.83
		90.00	10.00	0.82	0.88	0.88	0.82
		47.50	2.50	0.82	0.92	0.91	0.88
		95.00	5.00	0.82	0.93	0.93	0.89
23	1	45.00	5.00	0.83	0.88	0.88	0.83
		90.00	10.00	0.83	0.89	0.88	0.82
		47.50	2.50	0.83	0.92	0.92	0.89
		95.00	5.00	0.83	0.93	0.93	0.89
24	1	45.00	5.00	0.84	0.88	0.88	0.84
		90.00	10.00	0.84	0.89	0.88	0.82
		47.50	2.50	0.84	0.92	0.92	0.89
		95.00	5.00	0.84	0.93	0.93	0.89
25	0	45.00	5.00	0.80	0.87	0.85	0.85
		90.00	10.00	0.80	0.88	0.85	0.85
		47.50	2.50	0.80	0.91	0.85	0.85
		95.00	5.00	0.80	0.92	0.85	0.85
26	1	45.00	5.00	0.80	0.87	0.85	0.85
		90.00	10.00	0.80	0.88	0.85	0.85
		47.50	2.50	0.80	0.91	0.85	0.85
		95.00	5.00	0.80	0.92	0.85	0.85

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
27	1	45.00	5.00	0.81	0.87	0.85	0.85
		90.00	10.00	0.81	0.88	0.85	0.85
		47.50	2.50	0.81	0.91	0.85	0.85
		95.00	5.00	0.81	0.93	0.85	0.85
28	1	45.00	5.00	0.82	0.88	0.86	0.86
		90.00	10.00	0.82	0.88	0.86	0.86
		47.50	2.50	0.82	0.91	0.86	0.86
		95.00	5.00	0.82	0.93	0.86	0.86
29	1	45.00	5.00	0.82	0.88	0.86	0.86
		90.00	10.00	0.82	0.88	0.86	0.86
		47.50	2.50	0.82	0.91	0.86	0.86
		95.00	5.00	0.82	0.93	0.86	0.86
30	1	45.00	5.00	0.83	0.88	0.86	0.86
		90.00	10.00	0.83	0.88	0.84	0.86
		47.50	2.50	0.83	0.91	0.90	0.86
		95.00	5.00	0.83	0.93	0.90	0.86
31	1	45.00	5.00	0.83	0.88	0.86	0.87
		90.00	10.00	0.83	0.88	0.84	0.87
		47.50	2.50	0.83	0.92	0.90	0.87
		95.00	5.00	0.83	0.93	0.90	0.87
32	1	45.00	5.00	0.84	0.88	0.86	0.87
		90.00	10.00	0.84	0.89	0.84	0.87
		47.50	2.50	0.84	0.92	0.90	0.87
		95.00	5.00	0.84	0.93	0.90	0.87
33	1	45.00	5.00	0.84	0.88	0.86	0.87
		90.00	10.00	0.84	0.89	0.85	0.87
		47.50	2.50	0.84	0.92	0.90	0.87
		95.00	5.00	0.84	0.93	0.90	0.87
34	1	45.00	5.00	0.85	0.88	0.87	0.87
		90.00	10.00	0.85	0.89	0.85	0.87
		47.50	2.50	0.85	0.92	0.90	0.87
		95.00	5.00	0.85	0.93	0.90	0.87
35	1	45.00	5.00	0.85	0.89	0.88	0.87
		90.00	10.00	0.85	0.89	0.89	0.85
		47.50	2.50	0.85	0.92	0.91	0.90
		95.00	5.00	0.85	0.93	0.92	0.90
36	1	45.00	5.00	0.86	0.89	0.88	0.87
		90.00	10.00	0.86	0.89	0.89	0.85
		47.50	2.50	0.86	0.92	0.91	0.91
		95.00	5.00	0.86	0.93	0.92	0.90
37	1	45.00	5.00	0.86	0.89	0.89	0.87
		90.00	10.00	0.86	0.89	0.89	0.85
		47.50	2.50	0.86	0.92	0.91	0.91
		95.00	5.00	0.86	0.93	0.92	0.90
38	1	45.00	5.00	0.86	0.89	0.89	0.87
		90.00	10.00	0.86	0.89	0.89	0.85
		47.50	2.50	0.86	0.92	0.91	0.91
		95.00	5.00	0.86	0.93	0.92	0.90
39	1	45.00	5.00	0.87	0.89	0.89	0.87
		90.00	10.00	0.87	0.89	0.89	0.86
		47.50	2.50	0.87	0.92	0.92	0.91
		95.00	5.00	0.87	0.93	0.93	0.91
40	1	45.00	5.00	0.87	0.89	0.89	0.88
		90.00	10.00	0.87	0.89	0.89	0.86
		47.50	2.50	0.87	0.92	0.92	0.91
		95.00	5.00	0.87	0.93	0.93	0.91

TRIAL NUMBER	TRIAL RESULT	A	B	CCL20	BCL20	K=5 WCL20	K=10 WCL20
41	1	45.00	5.00	0.87	0.89	0.89	0.88
		90.00	10.00	0.87	0.89	0.89	0.86
		47.50	2.50	0.87	0.93	0.92	0.91
		95.00	5.00	0.87	0.93	0.93	0.91
42	1	45.00	5.00	0.88	0.89	0.89	0.88
		90.00	10.00	0.88	0.89	0.89	0.86
		47.50	2.50	0.88	0.93	0.92	0.91
		95.00	5.00	0.88	0.93	0.93	0.91
43	1	45.00	5.00	0.88	0.90	0.90	0.88
		90.00	10.00	0.88	0.89	0.89	0.86
		47.50	2.50	0.88	0.93	0.92	0.91
		95.00	5.00	0.88	0.93	0.93	0.91
44	1	45.00	5.00	0.88	0.90	0.90	0.88
		90.00	10.00	0.88	0.90	0.90	0.86
		47.50	2.50	0.88	0.93	0.92	0.92
		95.00	5.00	0.88	0.94	0.93	0.91
45	1	45.00	5.00	0.89	0.90	0.90	0.90
		90.00	10.00	0.89	0.90	0.90	0.90
		47.50	2.50	0.89	0.93	0.93	0.92
		95.00	5.00	0.89	0.94	0.93	0.93
46	1	45.00	5.00	0.89	0.90	0.90	0.90
		90.00	10.00	0.89	0.90	0.90	0.90
		47.50	2.50	0.89	0.93	0.93	0.92
		95.00	5.00	0.89	0.94	0.93	0.93
47	1	45.00	5.00	0.89	0.90	0.90	0.90
		90.00	10.00	0.89	0.90	0.90	0.90
		47.50	2.50	0.89	0.93	0.93	0.92
		95.00	5.00	0.89	0.94	0.94	0.93
48	0	45.00	5.00	0.87	0.89	0.90	0.90
		90.00	10.00	0.87	0.89	0.90	0.90
		47.50	2.50	0.87	0.92	0.90	0.90
		95.00	5.00	0.87	0.93	0.90	0.90
49	1	45.00	5.00	0.87	0.89	0.90	0.90
		90.00	10.00	0.87	0.89	0.90	0.90
		47.50	2.50	0.87	0.92	0.90	0.90
		95.00	5.00	0.87	0.93	0.90	0.90
50	1	45.00	5.00	0.87	0.89	0.90	0.90
		90.00	10.00	0.87	0.89	0.90	0.90
		47.50	2.50	0.87	0.92	0.90	0.90
		95.00	5.00	0.87	0.93	0.90	0.90
51	1	45.00	5.00	0.88	0.89	0.90	0.90
		90.00	10.00	0.88	0.89	0.90	0.90
		47.50	2.50	0.88	0.92	0.90	0.90
		95.00	5.00	0.88	0.93	0.90	0.90
52	1	45.00	5.00	0.88	0.89	0.90	0.90
		90.00	10.00	0.88	0.89	0.90	0.90
		47.50	2.50	0.88	0.92	0.90	0.90
		95.00	5.00	0.88	0.93	0.90	0.90
53	1	45.00	5.00	0.88	0.90	0.89	0.90
		90.00	10.00	0.88	0.89	0.88	0.90
		47.50	2.50	0.88	0.92	0.92	0.90
		95.00	5.00	0.88	0.93	0.92	0.90
54	0	45.00	5.00	0.86	0.89	0.89	0.89
		90.00	10.00	0.86	0.89	0.89	0.89
		47.50	2.50	0.86	0.91	0.89	0.89
		95.00	5.00	0.86	0.92	0.89	0.89

DEFINITION OF VARIABLES IN COMPUTER PROGRAM

VARIABLE	DEFINITION
A(MM)	Value of parameter in a prior Beta density $\beta(x;a,b)$ for case MM
AB	a for Bayesian prior $\beta(x;a,b)$
ABC	AC + BC
ABG	Recursive value of a when calculating $\Gamma(a)$
AWI	Initial value for a when calculating ad hoc lower confidence limits
AP	Value of a when computing a new prior density for the ad hoc method after a failure
AC	R * 4 version of IAC
B(MM)	Value of parameter b in prior Beta density $\beta(x;a,b)$ for case MM
BB	b for Bayesian prior $\beta(x;a,b)$
BBG	Recursive value of b when calculating $\Gamma(b)$
BC	R * 4 version of IBC
BCL05	Bayesian lower confidence limit for $\alpha=.05$
BCL10	Bayesian lower confidence limit for $\alpha=.10$
BCL20	Bayesian lower confidence limit for $\alpha=.20$
BP	Value of b when computing a new prior density for the ad hoc method after a failure
BWI	Initial value for b when calculating ad hoc lower confidence limits
CCL05	Classical lower confidence limit for $\alpha=.05$
CCL10	Classical lower confidence limit for $\alpha=.10$
CCL20	Classical lower confidence limit for $\alpha=.20$
FAABB	Contribution of fractional portion for calculating $\Gamma(a+b)$

VARIABLE	DEFINITION
FABG	Contribution of fractional portion for calculating $\Gamma(a)$
FBBG	Contribution of fractional portion for calculating $\Gamma(b)$
GA	$\text{Ln} [\Gamma(a)]$
GAB	$\text{Ln} [\Gamma(a+b)]$
GAM	$\Gamma(a+b)/\Gamma(a) \Gamma(b)$
GAMA	$\Gamma(a)$
GAMAB	$\Gamma(a+b)$
GAMB	$\Gamma(b)$
GB	$\text{Ln} [\Gamma(b)]$
I	Number of failures + 1 to date when generating test sequence
IAC	a in Classical $\beta(x;a,b)$
IBC	b for Classical $\beta(x;a,b)$
II	Number of failures to date when calculating ad hoc lower confidence limit
J	Trial number
JJ	Number of successes since the last failure
K#	Logical switch to determine if simplified calculation can be made to determine GAM
L	Dimension counter for cases in ad hoc lower confidence limit
M	Case number for sequence generation
MM	Case number for initial values of a and b
N(M)	Number of trials in the Mth sequence
R(I,M)	Underlying reliability
RN	Random number uniform on $[0,1]$

VARIABLE	DEFINITION
$T(M,J)$	Logical variable denoting result of Jth trial in Mth sequence
WCL05	Ad hoc lower confidence limit, $\alpha=.05$
WCL10	Ad hoc lower confidence limit, $\alpha=.10$
WCL20	Ad hoc lower confidence limit, $\alpha=.20$

COMPUTER PROGRAM

```

    DIMENSION A(4), B(4), BCL05(3,100,4), BCL10(3,100,4),
1    BCL20(3,100,4), CCL05(3,100), CCL10(3,100),
2    CCCL20(3,100), N(3), WCLO5(3,100,4,2),
3    WCL10(3,100,4,2), WCL20(3,100,4,2), R(5,3)
    INTEGER T(3,100)
    READ(5,1) R
    FORMAT(5F10.3)
    IARG = -2
    RN = URN(IARG)
    IARG = 1

C
C
C    SEQUENCE GENERATION

    DO 99 M=1,3
    I = 1
    J = 1
2    RN = URN(IARG)
    IF (RN.LE.R(I,M)) GO TO 3
    T(M,J)= 0
    I=I+1
    IF (I.GE.6) GO TO 99
    IF (J.GT.99) GO TO 99
    J=J+1
    GO TO 2
3    T(M,J)= 1
    IF (J.GT.99) GO TO 99
    J=J+1
    GO TO 2
99    N(M)=J
C
C
C    CALCULATION OF CLASSICAL LOWER CONFIDENCE LIMIT

    DO 199 M=1,3
    IAC=0
    IBC=1
    NM = N(M)
    DO 198 J=1,NM
    IF (T(M,J).GT.0) GO TO 101
    IBC=IBC+1
    IF (IAC.GE.1) GO TO 102
    CCL05(M,J)=0.0
    CCL10(M,J)=0.0
    CCL20(M,J)=0.0
    GO TO 198
101    IAC=IAC+1
102    AC=IAC
    BC=IBC
    ABC=AC+BC
    GA=0.0
103    IF (AC.LT.2.0) GO TO 104
    AC=AC-1.0
    GA=GA+ALOG(AC)
    GO TO 103
104    GB=0.0
105    IF (BC.LT.2.0) GO TO 106
    BC=BC-1.0
    GB=GB+ALOG(BC)
    GO TO 105
106    GAB=0.0
107    IF (ABC.LT.2.0) GO TO 108
    ABC=ABC-1.0
    GAB=GAB+ALOG(ABC)
    GO TO 107
108    GAM = 2.71828** (GAB-(GA+GB))
    AREA = 0.0
    X = .005
109    RAPEA = .01*GAM*(X**(IAC-1))*((1-X)**(IBC-1))
    AREA = AREA + RAPEA

```



```

IF (AREA.GE..05) GO TO 110
X = X + .01
GO TO 109
110 CCL05(M,J) = X + .005
111 X = X + .01
RAREA = .01 * GAM * (X ** (IAC-1)) * ((1-X) ** (IBC-1))
AREA = AREA + RAREA
IF (AREA.GE..10) GO TO 112
GO TO 111
112 CCL10(M,J) = X + .005
113 X = X + .01
RAREA = .01 * GAM * (X ** (IAC-1)) * ((1-X) ** (IBC-1))
AREA = AREA + RAREA
IF (AREA.GE..20) GO TO 114
GO TO 113
114 CCL20(M,J) = X + .005
108 CONTINUE
109 CONTINUE
201 READ(5,201) A,B
FORMAT (SF10.4)
C
C
C CALCULATION OF BAYESIAN LOWER CONFIDENCE LIMIT
DO 300 MM=1,4
AB = A(MM)
BB = B(MM)
ABG = AB
BBG = BB
AABBG = AB + BB
GA = 0.0
GB = 0.0
GAB = 0.0
202 IF (ABG.LT.2.0) GO TO 203
ABG = ABG - 1.0
GA = GA + ALOG(ABG)
GO TO 202
203 ABG = ABG - 1.0
FABG = 1.0 - .5771017*(ABG) + .9858540*(ABG**2)
1 - .8764218*(ABG**3) + .8328212*(ABG**4) - .5684729*
2 (ABG**5) + .2548205*(ABG**6) - .0514993*(ABG**7)
204 IF (BBG.LT.2.0) GO TO 205
BBG = BBG - 1.0
GB = GB + ALOG(BBG)
GO TO 204
205 BBG = BBG - 1.0
FBBG = 1.0 - .5771017*(BBG) + .9858540*(BBG**2)
1 - .8764218*(BBG**3) + .8328212*(BBG**4) - .5684729*
2 (BBG**5) + .2548205*(BBG**6) - .0514993*(BBG**7)
206 IF (AABBG.LT.2.0) GO TO 207
AABBG = AABBG - 1.0
GAB = GAB + ALOG(AABBG)
GO TO 206
207 AABBG = AABBG - 1.0
FAABB = 1.0 - .5771017*(AABBG) + .9858540*(AABBG**2)
1 - .8764218*(AABBG**3) + .8328212*(AABBG**4) -
2 .5684729*(AABBG**5) + .2548205*(AABBG**6) -
3 .0514993*(AABBG**7)
GAM = 2.71828 ** (GAB - (GA + GB))
GAM = GAM * (FAABB / (FABG * FBBG))
Y = GAM
DO 299 M = 1,3
GAM = Y
AB = A(MM)
BB = B(MM)
NM = N(M)
DO 298 J=1,NM
AABB = AB + BB
IF (T(M,J).GT.0) GO TO 208
GAM = GAM * (AABB/BB)
BB = BB + 1.0
AABB = AABB + 1.0
GO TO 209

```



```

208  GAM = GAM * (AABB/AB)
      AB = AB + 1.0
      AABB = AABB + 1.0
209  AREA = 0.0
      X = .005
210  RAREA = .01 * GAM * (X**(AB-1.0)) * ((1.0-X)**(BB-1.0)
1)  AREA = AREA + RAREA
      IF (AREA.GE..05) GO TO 211
      X = X + .01
      GO TO 210
211  BCL05(M,J,MM) = X + .005
212  X = X + .01
      RAREA = .01 * GAM * (X**(AB-1.0)) * ((1.0-X)**(BB-1.0)
1)  AREA = AREA + RAREA
      IF (AREA.LT..10) GO TO 212
      BCL10(M,J,MM) = X + .005
213  X = X + .01
      RAREA = .01 * GAM * (X**(AB-1.0)) * ((1.0-X)**(BB-1.0)
1)  AREA = AREA + RAREA
      IF (AREA.LT..20) GO TO 213
      BCL20(M,J,MM) = X + .005
298  CONTINUE
299  CONTINUE
300  CONTINUE

```

C
C
C

CALCULATION OF AD HOC LOWER CONFIDENCE LIMIT

```

      DO 400 M = 1,3
      DO 399 MM = 1,4
      AWI = A(MM)
      BWI = B(MM)
      L = 0
      DO 398 K = 5,10,5
      II = 0
      KO = 0
      L = L + 1
      NM = N(M)
      DO 397 J=1,NM
      IF (T(M,J).GT.0) GO TO 301
      II = II + 1
      AP = J - II
      BP = II
      AWO = AP
      BWO = BP
      JJ = 0
      AW = AWO + J - II
      BW = BWO + II
      KO = 0
      K1 = 0
      K2 = 0
      K3 = 0
      K4 = 0
      K5 = 0
      K6 = 0
      K7 = 0
      K8 = 0
      K9 = 0
      K10 = 0
      IF(AW.GT.1.0) GO TO 370
      WCL05(M,J,MM,L) = 0.0
      WCL10(M,J,MM,L) = 0.0
      WCL20(M,J,MM,L) = 0.0
      GO TO 397
301  IF (II.GT.0 ) GO TO 303
      IF (KO.GT.0) GO TO 302
      AW = AWI + 1
      BW = BWI
      KO = 1
      GO TO 370

```



```

302  GAM = GAM * ((AW+BW)/AW)
    AW = AW + 1
    GO TO 380
303  JJ = JJ + 1
    IF (JJ.GE.K) GO TO 304
    IF (AW.LT.1.0) GO TO 3035
    GAM = GAM * ((AW+BW)/AW)
    AW = AW + 1
    GO TO 380
3035 AW = AW + 1.0
    GO TO 370
304  KK = 2 * K
    IF (JJ.GE.KK) GO TO 306
    IF (K1.GT.0) GO TO 305
    AW1 = (AW0+AWI)/2.0
    BW1 = (BW0+BWI)/2.0
    AW = AW1 + J - II
    BW = BW1 + II
    K1 = 1
    GO TO 370
305  GAM = GAM * ((AW+BW)/AW)
    AW = AW + 1
    GO TO 380
306  KK = 3 * K
    IF (JJ.GE.KK) GO TO 308
    IF (K2.GT.0) GO TO 307
    AW2 = (AW1+AWI)/2.0
    BW2 = (BW1+BWI)/2.0
    AW = AW2 + J - II
    BW = BW2 + II
    K2 = 1
    GO TO 370
307  GAM = GAM * (AW + BW)/AW
    AW = AW + 1.0
    GO TO 380
308  KK = 4*K
    IF (JJ.GE.KK) GO TO 310
    IF (K3.GT.0) GO TO 309
    AW3 = (AW2 + AWI)/2.0
    BW3 = (BW2+BWI)/2.0
    AW = AW3 + J - II
    BW = BW3 + II
    K3 = 1
    GO TO 370
309  GAM = GAM * (AW+BW)/AW
    AW = AW + 1.0
    GO TO 380
310  KK = 5*K
    IF (JJ.GE.KK) GO TO 312
    IF (K4.GT.0) GO TO 311
    AW4 = (AW3+AWI)/2.0
    BW4 = (BW3+BWI)/2.0
    AW = AW4 + J - II
    BW = BW4 + II
    K4 = 1
    GO TO 370
311  GAM = GAM * (AW+BW)/AW
    AW = AW + 1.0
    GO TO 380
312  KK = 6 * K
    IF (JJ.GE.KK) GO TO 314
    IF (K5.GT.0) GO TO 313
    AW5 = (AW4+AWI)/2.0
    BW5 = (BW4+BWI)/2.0
    AW = AW5 + J - II
    BW = BW5 + II
    K5 = 1
    GO TO 370
313  GAM = GAM * (AW+BW)/AW
    AW = AW + 1.0
    GO TO 380
314  KK = 7*K

```



```

IF (JJ.GE.KK) GO TO 316
IF (K6.GT.0) GO TO 315
AW6 = (AW5+AWI)/2.0
BW6 = (BW5+BWI)/2.0
AW = AW6 + J - II
BW = BW6 + II
K6 = 1
GO TO 370
315 GAM = GAM * (AW+BW)/AW
AW = AW + 1.0
GO TO 380
316 KK = 8*K
IF (JJ.GE.KK) GO TO 318
IF (K7.GT.0) GO TO 317
AW7 = (AW6+AWI)/2.0
BW7 = (BW6+BWI)/2.0
AW = AW7 + J - II
BW = BW7 + II
K7 = 1
GO TO 370
317 GAM = GAM * (AW+BW)/AW
AW = AW + 1.0
GO TO 380
318 KK = 9*K
IF (JJ.GE.KK) GO TO 320
IF (K8.GT.0) GO TO 319
AW8 = (AW7+AWI)/2.0
BW8 = (BW7+BWI)/2.0
AW = AW8 + J - II
BW = BW8 + II
K8 = 1
GO TO 370
319 GAM = GAM * (AW+BW)/AW
AW = AW + 1.0
GO TO 380
320 KK = 10*K
IF (JJ.GE.KK) GO TO 322
IF (K9.GT.0) GO TO 321
AW9 = (AW8+AWI)/2.0
BW9 = (BW8+BWI)/2.0
AW = AW9 + J - II
BW = BW9 + II
K9 = 1
GO TO 370
321 GAM = GAM * (AW+BW)/AW
AW = AW + 1.0
GO TO 380
322 WCL05(M,J,MM,L) = BCL05(M,J,MM)
WCL10(M,J,MM,L) = BCL10(M,J,MM)
WCL20(M,J,MM,L) = BCL20(M,J,MM)
GO TO 397
370 AG = AW
BG = BW
ABG = AW + BW
GA = 0.0
GB = 0.0
GAB = 0.0
371 IF (AG.LT.2.0) GO TO 372
AG = AG - 1.0
GA = GA + ALOG(AG)
GO TO 371
372 AG = AG - 1.0
FAG = 1.0 - .5771017*(AG) + .9858540*(AG**2) -
1.8764218*(AG**3) + .8328212*(AG**4) - .5684729*(AG**5)
2+ .2548205*(AG**6) - .0514993*(AG**7)
373 IF (BG.LT.2.0) GO TO 374
BG = BG - 1.0
GB = GB + ALOG(BG)
GO TO 373
374 BG = BG - 1.0
FBG = 1.0 - .5771017*(BG) + .9858540*(BG**2) -
1.8764218*(BG**3) + .8328212*(BG**4) - .5684729*(BG**5)

```



```

2+ .2548205*(BG**6) - .0514993*(BG**7)
375 IF (ABG.LT.2.0) GO TO 376
    ABG = ABG - 1.0
    GAB = GAB + ALOG(ABG)
    GO TO 375
376 ABG = ABG - 1.0
    FABG = 1.0 - .5771017*(ABG) + .9858540*(ABG**2)
1- .8764218*(ABG**3) + .8328212*(ABG**4) - .5684729*
1(ABG**5) + .2548205*(ABG**6) - .0514993*(ABG**7)
    GAM = 2.71828** (GAB-(GA+GB))
    GAM = GAM * (FABG/(FAG*FBG))
380 AREA = 0.0
    X = .005
381 RAREA = .01 * GAM * (X**(AW-1.0)) * ((1-X)**(BW-1.0))
    AREA = AREA + RAREA
    IF (AREA.GE..05) GO TO 382
    X = X + .01
    GO TO 381
382 WCLO5(M,J,MM,L) = X + .005
383 X = X + .01
    RAREA = .01 * GAM * (X**(AW-1.0)) * ((1-X)**(BW-1.0))
    AREA = AREA + RAREA
    IF (AREA.GE..10) GO TO 384
    GO TO 383
384 WCL10(M,J,MM,L) = X + .005
385 X = X + .01
    RAREA = .01 * GAM * (X**(AW-1.0)) * ((1-X)**(BW-1.0))
    AREA = AREA + RAREA
    IF (AREA.GE..20) GO TO 386
    GO TO 385
386 WCL20(M,J,MM,L) = X + .005
397 CONTINUE
398 CONTINUE
399 CONTINUE
400 CONTINUE
C
C PRINTING OF OUTPUT
C
DO 499 M=1,3
WRITE(6,4005)
4005 FORMAT(1H1,////1X,T11,'SIGNIFICANCE LEVEL = .05')
WRITE(6,401) M
401 FORMAT(1H,////1X,T14,'SEQUENCE NUMBER',I2//)
WRITE(6,402) R(1,M), R(2,M), R(3,M), R(4,M), R(5,M)
402 FORMAT(1H, 'UNDERLYING RELIABILITIES',5F5.2)
WRITE(6,403)
403 FORMAT(1H0, 'TRIAL',T9, 'TRIAL',T44, 'K=5    K=10')
WRITE(6,404)
404 FORMAT(1H, 'NUMBER RESULT  A          B          CCL05 ',
1T37, 'BCL05 WCL05 WCL05')
NM = N(M)
DO 498 J=1,NM
WRITE(6,405) J, T(M,J), A(1), B(1), CCL05(M,J),
1BCL05(M,J,1), WCL05(M,J,1,1), WCL05(M,J,1,2)
405 FORMAT(1H0,T3,I2,T10,I2,T15,F5.2,T22,F5.2,T29,4F6.2)
DO 497 MM=2,4
WRITE(6,406) A(MM), B(MM), CCL05(M,J), BCL05(M,J,MM),
1WCL05(M,J,MM,1), WCL05(M,J,MM,2)
406 FORMAT(1H, 'T15,F5.2,T22,F5.2,T29,4F6.2)
497 CONTINUE
498 CONTINUE
499 CONTINUE
DO 599 M=1,3
WRITE(6,5005)
5005 FORMAT(1H1,////1X,T11,'SIGNIFICANCE LEVEL = .10')
WRITE(6,401) M
WRITE(6,402) R(1,M), R(2,M), R(3,M), R(4,M), R(5,M)
WRITE(6,403)
WRITE(6,504)
504 FORMAT(1H, 'NUMBER RESULT  A          B          CCL10 ',
1T37, 'BCL10 WCL10 WCL10')
NM = N(M)

```



```

CO 598 J=1,NM
WRITE(6,405) J, T(M,J), A(1), B(1), CCL10(M,J),
1BCL10(M,J,1), WCL10(M,J,1,1), WCL10(M,J,1,2)
DO 597 MM=2,4
WRITE(6,406) A(MM), B(MM),CCL10(M,J), BCL10(M,J,MM),
1WCL10(M,J,MM,1), WCL10(M,J,MM,2)
597 CONTINUE
598 CONTINUE
599 CONTINUE
DO 699 M=1,3
WRITE(6,6005)
6005 FORMAT(1H1,////1X,T11,'SIGNIFICANCE LEVEL = .20')
WRITE(6,401) M
WRITE(6,402) R(1,M), R(2,M), R(3,M), R(4,M), R(5,M)
WRITE(6,403)
WRITE(6,604)
604 FORMAT(1H , 'NUMBER RESULT A B CCL20 ',
1T37, 'BCL20 WCL20 WCL20')
NM = N(M)
DO 698 J=1,NM
WRITE(6,405) J, T(M,J), A(1), B(1), CCL20(M,J),
1BCL20(M,J,1), WCL20(M,J,1,1), WCL20(M,J,1,2)
DO 697 MM=2,4
WRITE(6,406) A(MM), B(MM),CCL20(M,J), BCL20(M,J,MM),
1WCL20(M,J,MM,1), WCL20(M,J,MM,2)
697 CONTINUE
698 CONTINUE
699 CONTINUE
END

```

DATA DECK

.5	.5	.5	.8	.8			
.7	.7	.9	.9	.9			
.8	.9	.95	.95	.95			
45.0	90.0	47.5	95.0	5.0	10.0	2.5	5.0

BIBLIOGRAPHY

- Barlow, R. E. and Proschan, R., Mathematical Theory of Reliability, Wiley, 1965.
- Erdelyi, A., and others, Higher Transcendental Functions, v. 1, McGraw-Hill, 1953.
- Pearson, E. S. and Hartley, H. O., Biometrika Tables for Statisticians, 2d ed., v. 1, Cambridge University Press, 1958.
- Owen, P. B., Handbook of Statistical Tables, p. 264, Addison-Wesley, 1962.
- The Chemical Rubber Company, Standard Mathematical Tables, 16th ed., 1968.

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Documentation Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0212 Naval Postgraduate School Monterey, California 93940	2
3. Department of Operations Analysis Code 55 Naval Postgraduate School Monterey, California 93940	1
4. Assoc. Professor W. M. Woods, Code 55Wo Department of Operations Analysis Naval Postgraduate School Monterey, California 93940	1
5. MAJ John C. Cartland Jr., USA 511 Boston Avenue Takoma Park, Maryland 20012	1

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Naval Postgraduate School Monterey, California 93940		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE An Ad Hoc Bayesian Method For Determining Lower Confidence Limits			
4. DESCRIPTIVE NOTES (Type of report and, inclusive dates) Master's Thesis; September 1970			
5. AUTHOR(S) (First name, middle initial, last name) John C. Cartland Jr.			
6. REPORT DATE September 1970		7a. TOTAL NO. OF PAGES 65	7b. NO. OF REFS 5
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Naval Postgraduate School Monterey, California 93940	
13. ABSTRACT <p>This thesis proposes and analyzes an ad hoc Bayesian method for determining lower confidence limits for estimates of mission reliability of single components using pass/fail test data. Several test sequences with different underlying reliabilities are simulated. After each trial the lower confidence limits are calculated using the Classical method, the Bayesian method and the proposed method. This is followed by an accuracy simulation to estimate the accuracy of the proposed method. The proposed method shows promise for future usefulness in that it is capable of demonstrating a high degree of reliability with a relatively small number of trials while maintaining some degree of protection against accepting unreliable components.</p>			

KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Bayesian						
Confidence Limits						
Lower Confidence Limits						
Reliability						

Thesis

C2739

c.1

Cartland

An ad hoc Bayesian
method for deter-
mining lower con-
fidence limits.

3 MAR 1982

121676

121676

31530

Thesis

C2739

c.1

Cartland

An ad hoc Bayesian
method for deter-
mining lower con-
fidence limits.

121676

thesC2739

An ad hoc Bayesian method for determinin



3 2768 001 02241 1

DUDLEY KNOX LIBRARY